JO FINSON GRAN

N91-13102

AdaNET PHASE O SUPPORT FOR (NASA-CR-187405) THE ADDRET DYNAMIC SOFTWARE INVENTORY (DSI) MANAGEMENT SYSTEM PROTUTYPE. CATALOG OF AVAILABLE REUSABLE SOFTWARE COMPONENTS (GHG 126 p

**Unclas** 0312543 CSCL 09B G3/61

# ADANET

# PHASE O SUPPORT FOR THE ADANET DYNAMIC SOFTWARE INVENTORY (DSI) MANAGEMENT SYSTEM PROTOTYPE

# Catalog of Available Reusable Software Components


# **Lionel Hanley**

**GHG Corporation** 

May 1989

Cooperative Agreement NCC 9-16 Research Activity No. SE.24

NASA Headquarters **Technology Utilization Program** Information & Network Operations



Research Institute for Computing and Information Systems University of Houston - Clear Lake

# The RICIS Concept

The University of Houston-Clear Lake established the Research Institute for Computing and Information systems in 1986 to encourage NASA Johnson Space Center and local industry to actively support research in the computing and information sciences. As part of this endeavor, UH-Clear Lake proposed a partnership with JSC to jointly define and manage an integrated program of research in advanced data processing technology needed for JSC's main missions, including administrative, engineering and science responsibilities. JSC agreed and entered into a three-year cooperative agreement with UH-Clear Lake beginning in May, 1986, to jointly plan and execute such research through RICIS. Additionally, under Cooperative Agreement NCC 9-16, computing and educational facilities are shared by the two institutions to conduct the research.

The mission of RICIS is to conduct, coordinate and disseminate research on computing and information systems among researchers, sponsors and users from UH-Clear Lake, NASA/JSC, and other research organizations. Within UH-Clear Lake, the mission is being implemented through interdisciplinary involvement of faculty and students from each of the four schools: Business, Education, Human Sciences and Humanities, and Natural and Applied Sciences.

Other research organizations are involved via the "gateway" concept. UH-Clear Lake establishes relationships with other universities and research organizations, having common research interests, to provide additional sources of expertise to conduct needed research.

A major role of RICIS is to find the best match of sponsors, researchers and research objectives to advance knowledge in the computing and information sciences. Working jointly with NASA/JSC, RICIS advises on research needs, recommends principals for conducting the research, provides technical and administrative support to coordinate the research, and integrates technical results into the cooperative goals of UH-Clear Lake and NASA/JSC.

# ADANET PHASE O SUPPORT FOR THE ADANET DYNAMIC SOFTWARE INVENTORY (DSI) MANAGEMENT SYSTEM PROTOTYPE Catalog of Available Reusable Software Components

.

.

# **Preface**

This research was conducted under the auspices of the Research Institute for Computing and Information Systems by Lionel Hanley of GHG Corporation. Dr. Charles McKay, Director of SERC, at the University of Houston-Clear Lake served as RICIS technical representative.

Funding has been provided by NASA Technology Utilization Program, NASA Headquarters through Cooperative Agreement NCC 9-16 between NASA Johnson Space Center and the University of Houston-Clear Lake. The NASA technical monitor for this activity was Roy Bivins, Manager, Information and Network Operations, Technologyy Utilization Division, NASA Headquarters.

The views and conclusions contained in this report are those of the author and should not be interpreted as representative of the official policies, either express or implied, of NASA or the United States Government.

# AdaNet

# PHASE 0 SUPPORT FOR THE ADANET DYNAMIC SOFTWARE INVENTORY (DSI) MANAGEMENT SYSTEM PROTOTYPE Project No. RICIS SE. 24

# Catalog of Available Reusable Software Components

Research Institute for Computing and Information Systems (RICIS)
Cooperative Agreement NCC-9-16

Revision #01 May 1989

University of Houston Clear Lake 2700 Bay Area Blvd Houston, Texas 77058-1068

GHG SE 24-3

# ADANET Catalog of Reusable Software Components

Prepared by GHG Corporation Houston, Texas

Under Subcontract No. 031

for
Research Institute for Computing and
Information Systems (RICIS)
University of Houston Clear Lake
Houston, Texas

MAY 1989

APPROVED BY GHG:

G. O'Neal, Software Engineer GHG Ada Technology Group

L.G. Hanley, Manager GHG Ada Technology Group

# TABLE OF CONTENTS

Ada-SOL			i
	DAMES DBMS Interface		1
	RAPPORT		
	SQL DBMS Interface		
A T			
A.1	EXPERT		Ť _
	LICE Description		J.
	LISP Routines		
	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
Benchmarks			<i>)</i>
	ADAFAIR85		
	Benchmarks		
	PIWG Benchmarks	· · · · · · · · · · · · · · · · · · ·	11
	SRITESTS		12
	Tasking_Benchmarks		12
CAIS		·	13
	Mitre_CAIS		13
	Tests for Mitre CAIS		14
CAIS Tools			15
C/115_10015	Editor		15
Compilation Order		•••••	16
Compilation_Order	Compilation Order		17
Commonants	Comphanon Order		17
Components	Abstractions		10
	Abstractions		17
. 71	CAS2		17 20
	CAS3	, , , , , , , , , , , , , , , , , , ,	2U 21
	CDUPDATE		21 21
	CLI		<u> </u>
	CAS		2 I
	Compools_in_Ada		22
	Character Set	, , , , , , , , , , , , , , , , , , ,	22
	Dynamic String	· · · · · · · · · · · · · · · · · · ·	23
	Dynamic String	· · · · · · · · · · · · · · · · · · ·	23
	Dynamic String 3	· · · · · · · · · · · · · · · · · · ·	23
	DIMENSIONAL UNITS		24
	FGET	************************************	24
	FILECOMP		25
	Garbage Collection		26
<del></del>	I/O Support		27
	Limited Prioritized Queue		28
	Linked List		29
	Linked List		30
	Namelist		31
	New Abstractions		37
	Dance		32
	Parser		7
	Permutations Class		عد.
	Prioritized Queue	••••	2
	Quick Sort		<u>ک</u> (
	Ada Reserved Word Identification		3

	Safe IO	38
	SYSDEP DEC	39
	SYSDEP DG	
	SEARCH	41
	Singly Linked List	42
	SORTARRY	
	STACK	
	TBD	
	TOD	
	VDT100	4/
Cases Deference	Variable-Length Direct I/O	48
Cross_Reference	Ada_Cross_Reference	49
Data Base Mana	Ada_Cross_Reference	3U 51
Data Base Man	agementMIMS	
DDN	VILLOS	
<i>DD</i> 11	FTP	
	SMTP/FTP	
	TCP/IP	
	TELNET	
Dehuggers	······	
Debuggers	Symbolic Debugger	59
Editors		
201101011111111111111111111111111111111	Editors	60
	Editor 2	62
	Word Processor	
Education		
	Ada to FORTRAN	65
	General Information	66
	Object-Oriented Design	67
	Productivity Data	68
	Programming Style/Errors	
	Technical Reports	
	Texts	71
External_Tools.		72
	Ada_Emacs_Mode	
	Ada_Form	
·	Ada Grammar	13
Forms_Generator.	Forms Generator 2	76
Comenal	Forms Generator 2	70
General		/O
	Copyright Information	0U 01
	FTP	
	KERMIT	
,	Operational Information	
	Welcome Message	25
Craphical Karnal	System	86
Grahmes _ veruer	Graphic Kernel System	27
Management Tools		88
Management 1 001	Cost Estimation	80
	General Management	90
	Manpower	91
	171CH11AJ77WA	-

**=** 

Ş

.

	Project Tracking9	13
Math Library	Project Tracking9	14
- '	Bit Functions9	96
	Cody-Waite Math Library9	17
	Date9	19
	Set Manipulation1	00
	Kalman Filter Tracking	101
	Logical Operations	02
	Machine Arithmetic	.03
	Math_Functions1	04
	Matrix Manipulation1	05
	Math Library 11	.06
	Math Library 21	07
Menu	1	08
	Menu Manager1	09
	Menu Manager 21	10
Message Handling	g	111
cop#8c	Message Handler	112
	Message Handler1 UNITREP Software Model1	13
Metrics		14
	Automatic Path Analyzer	116
	Complexity Measures	117
	Path Analyzer	118
	Ada Performance Analyzer	119
	Source Instrumenter	20
	Self Metric Analysis	121
Miscellaneous To	ols	122
Wilscellalleous_10	A970	124
	Calculator Functions	125
	CAS	126
	Combine and Break	127
	CONSTRUCT and CREATE_CO	129
	CREATE_TB	120
	CREATE_ID	1 2 / 1 2 /
	File Checker	13U
	Propagation Prediction (for Radio)	121
N7 1 - 44	Map Generator	122
Newsletters	A IO Noveletor	133 134
	AIC Newsletters	134 126
	ASR Newsletters	122
O-1' D	Snapshots	127
Online_Documents	ation	1 <i>31</i> 120
<b>—</b>	HELP System	1 <i>10</i>
Pager		14( 141
	Page	14) 141
	Pager	144
	Unpage	14:
PDL		144
	Data Dictionary	14:
	Documentation Manager	14(
	Graphics to PDL Aid	14
PIWG Benchmark	S	14
	PIWG Benchmarks	152
Pointers		157
	DoDD 3405.XX	158

**39.1** 

	IEEE RP for Ada as a PDL	159
	ADA20 Information	160
	SIMTEL20 Pointer Files	
Pretty Printer	·\$	166
_	Pretty_Printer	167
	Pretty_Printer_2	168
	Source Formatter.	160
	Source Formatter 2	109 170
Drogram Stubba	r	
riogiam_Stubbe	Dody Carlina	172
Cimulatian	Body Stubber	
Simulation		1/3
a a.	Queuing Simulation	174
Spelling_Check	kers	175
	Speller 2	176
Starter_Kit	***************************************	177
_	Load_AR_Tape	178
Style Checkers.		179
· • · · · · · · · · · · · · · · · · · ·	Standards Checker	
	Statement Profiler	
	Standards Checker 2	
	Style Checker	
	Style Checker 2	
Virtual Tarminal	I	105
A 11 that T ct millian		
	Curses Interface	180
TE/ T () A T) A 75	Virtual Terminal 2	
WIS ADA To	A I C	199

•

Ç

# **PREFACE**

# STATEMENT OF OPERATION - ADA SOFTWARE REPOSITORY

(OPERATE.DOC, Version 1.0)

The Ada Software Repository is a public-domain collection of Ada software and information. The Ada Software Repository is one of several repositories located on the SIMTEL20 Defense Data Network host computer at White Sands Missile Range in New Mexico. SIMTEL20 is owned and operated by the Operations and Systems Integration Division of the Information Systems Command of the US Army.

The Ada Software Repository is sponsored by the Operations and Systems Integration Division at White Sands Missile Range with additional funding provided by the STARS (Software Technology for Adaptable, Reliable Systems) Joint Program Office at the Pentagon.

# Disclaimer

*ਜ* ∹

All software, documentation and other items of information in the Ada Software Repository are in the public domain. These software, documentation and information files are provided "AS IS" and without any expressed or implied warranties whatsoever. No warranties as to performance, merchantability or fitness for a particular purpose exist.

Because of the diversity of conditions and hardware under which this software may be used, no warranty of fitness for a particular purpose is offered. The user is advised to test the software thoroughly before relying on it. The user must assume the entire risk and liability of using this software.

In no event shall any person or organization of people be held responsible for any direct, indirect, consequential or inconsequential damages or lost profits.

# THE ADA SOFTWARE REPOSITORY (ASR) ON SIMTEL20

(ADAREPOS.DOC, Version 1.0)

A repository of Ada programs, software components and educational material has been established on the SIMTEL20 host computer on the Defense Data Network. This repository has been accessible to any host computer on the network since November 26, 1984.

This repository provides a free source for Ada programs and information. By employing the File Transfer Protocol (FTP) program, users of DDN hosts are able to scan the directories of the repository and transfer files to their hosts. If the files are Ada programs, they may then compile these programs and use them as they desire. Modifying these programs may be within their rights, and they may freely distribute these programs within and without the DoD as they desire, subject to the restrictions specified for each piece of software in its prologue.

The Ada Software Repository is divided into several subdirectories. These directories are organized by topic, and their names and a brief overview of their topics are contained in the file DIRLIST.DOC in PD2:<ADA.GENERAL>.

The Ada Software Repository on SIMTEL20 serves two basic roles: to promote the exchange and use (reusability) of Ada programs and tools (including components) and to promote Ada education (especially by providing several working examples of programs in source form for people to study and modify).

All members of the Ada community are encouraged to freely extract information and programs from the repository as well as make contributions to it. The only restrictions which apply to the access and use of this software are presented in the "Distribution and Copyright" section of the prologue associated with each piece of software.

### Ada

# PD:<ADA>

This is the top-level directory. The names of the subdirectories (\*.DIRECTORY) can be seen here. The listing of all files in all subdirectories ADA.CRCLST) is also stored here. Also, the file FILEUSE.DOC, which contains a listing of all files in the repository, ordered by frequency of use (popularity), is contained here.

# Ada-SQL

# PD:<ADA.ADA-SQL>

This subdirectory contains files associated wit the development of a standard Ada DBMS interface (Ada/SQL) based on the dpANS Data Base Language SQL. It is anticipated that SQL will be adopted as the Air Force standard Relational data base query language.

Directory: PD: <ada.ada-so< td=""><td>QL&gt;</td></ada.ada-so<>	QL>
DAMES.CMM	833
DAMES.DOC	5283
DAMES.PRO	4945
DAMES.SRC	616438
DAMESABS.DOC	2139
DAMESSRC.DIS	390
DAMESVMS.DIS	1062
RAPPABS.DOC	3647
RAPPNOTES.DOC	6284
RAPPORT.CMM	840
RAPPORT.PRO	4910
RAPPORT.SRC	282884
SQL.CMM	1885
SQL.PRO	5050
SQLDD2.DIS	75
SQLDD2.SRC	51795
SQLDDL.DIS	112
SQLDDL.SRC_	42642
SQLDDLRD.ME	2673
SQLDDLTS.IN	2265
SQLDDLTS.OUT	4732
SQLDML.DAT	3845
SQLDML.DIS	120
SQLDML.OUT	10333
SQLDML.SRC	123991
SQLDMLRD.ME	3072
SQLREADME.DOC	1299
SQLSPC.INT	43318
SQLSPC.TXT	140309
SQLSPCRD.ME	284
20 511 -	1267455
30 Files	1367455

# **DAMES DBMS Interface**

Machine/System Compiled/Run on: ROLM/DG / AOS

## Abstract:

The HQ USAF Assistant Chief of Staff for Information Systems anticipates the adoption of SQL as the Air Force standard Relational data base query language. The Air Force will probably adopt the American National Standard (ANS) Database Language SQL as its Relational query language. A draft proposed American National Standard (dpANS)/International Standard Database Language SQL is in the public review process. Given the above Air Force position, the WIS JPMO began a project with the Institute for Defense Analysis and RACOM Computer Professionals to develop a standard Ada DBMS interface (Ada/SQL) based on the dpANS Database Language SQL.

A "Proposed Binding Ada to Database Language SQL" has been presented to the responsible American National Standards Committee(X3H2). We anticipate its adoption as the DoD and ANS/ISO standard Ada relational DBMS interface and it will be the WIS Standard Ada DBMS interface. As such, we recommend the Ada/SQL interface be used for any development of an Ada DBMS interface.

The RAPPORT and DAMES DBMS Ada interfaces were among the R&D precursors developed to define an Ada DBMS interface. They are provided for information only and their syntax should not be used as a basis to build an Ada interface for any other DBMS.

The following files are associated with this item:

Directory: PD: <ada.ada< th=""><th>-SQL&gt;</th></ada.ada<>	-SQL>
DAMES.CMM	833
DAMES.DOC	5283
DAMES.PRO	4945
DAMES.SRC	616438
DAMESABS.DOC	2139
DAMESSRC.DIS	390
DAMESVMS.DIS	1062
=======================================	
7 Files	631090

# **RAPPORT**

Machine/System Compiled/Run on: TeleSoft 1.3 / VMS

#### Abstract:

The HQ USAF Assistant Chief of Staff for Information Systems anticipates the adoption of SQL as the Air Force standard Relational data base query language. The Air Force will probably adopt the American National Standard (ANS) Database Language SQL as its Relational query language. A draft proposed American National Standard (dpANS)/International Standard Database Language SQL is in the public review process. Given the above Air Force position, the WIS JPMO began a project with the Institute for Defense Analysis and RACOM Computer Professionals to develop a standard Ada DBMS interface (Ada/SQL) based on the dpANS Database Language SQL.

A "Proposed Binding Ada to Database Language SQL" has been presented to the responsible American National Standards Committee (X3H2). We anticipate its adoption as the DoD and ANS/ISO standard Ada relational DBMS interface and it will be the WIS Standard Ada DBMS interface. As such, we recommend the Ada/SQL interface be used for any development of an Ada DBMS interface.

The RAPPORT and DAMES DBMS Ada interfaces were among the R&D precursors developed to define an Ada DBMS interface. They are provided for information only and their syntax should not be used as a basis to build an Ada interface for any other DBMS.

The following files are associated with this item:

Directory: PD: <ada.ada< th=""><th>-SQL&gt;</th></ada.ada<>	-SQL>
RAPPABS.DOC	3647
RAPPNOTES.DOC	6284
RAPPORT.CMM	840
RAPPORT.PRO	4910
RAPPORT.SRC	282884
	=======
5 Files	298565

# **SQL DBMS Interface**

Machine/System Compiled/Run on: ROLM/DG / AOS

# Abstract:

The HQ USAF Assistant Chief of Staff for Information Systems anticipates the adoption of SQL as the Air Force standard Relational data base query language. The Air Force will probably adopt the American National Standard (ANS) Database Language SQL as its Relational query language. A draft proposed American National Standard (dpANS)/International Standard Database Language SQL is in the public review process.

Given the above Air Force position, the WIS JPMO began a project with the Institute for Defense Analysis and RACOM Computer Professionals to develop a standard Ada DBMS interface (Ada/SQL) based on the dpANS Database Language SQL. A "Proposed Binding Ada to Database Language SQL" has been presented to the responsible American National Standards Committee (X3H2). We anticipate its adoption as the DoD and ANS/ISO standard Ada relational DBMS interface and it will be the WIS Standard Ada DBMS interface. As such, we recommend the Ada/SQL interface be used for any development of an Ada DBMS interface.

The following files are associated with this item:

Directory: PD: <ada.ada-so< th=""><th>QL&gt;</th></ada.ada-so<>	QL>
SQL.CMM	1885
SOL.PRO	5050
SOLDD2.DIS	75
SQLDD2.SRC	51795
SOLDDL.DIS	112
SQLDDL.SRC	42642
SOLDDLRD.ME	2673

SOLDDLTS.IN	2265
SQLDDLTS.OUT	4732-
SQLDML.DAT	3845
SQLDML.DIS	120
SQLDML.OUT	10333
SQLDML.SRC	123991
SQLDMLRD.ME	3072
SOLREADME.DOC	1299
SQLSPC.INT	43318
SQLSPC.TXT	140309
SQLSPCRD.ME	284
=======================================	========
18 Files	437800

## ΑI

## PD:<ADA.AI>

This subdirectory contains programs relating to the fields of artificial intelligence, such as expert systems, pattern recognition, and heuristic analysis.

Directory: PD: <ada.ai></ada.ai>	
ALSP.ABS	2038
ALSP.CM2	8457
ALSP.CMM	5951
ALSP.PRO	3642
ALSPDESGN.DOC	92478
ALSPREAD.ME	1561
ALSPREN.SUB	300
ALSPSRC.DIS	165
ALSPTECH.DOC	127481
ALSPTYPES.SRC	214879
ALSPUSER.DOC	87583
EXPERT.ADA	36105
EXPERT.DAT	890
EXPERT.PRO	3368
14 Files	584898

## **EXPERT**

Machine/System Compiled/Run on: VAX 11/785, VMS 4.1, DEC Ada Abstract:

EXPERT is a backward chaining or goal driven expert system. It is based on two articles, first Sept 1981 BYTE (Duda and Gaschnig) published the expert system in BASIC skirting the use of recursion, second Jan/Feb 85 issue of JOURNAL OF PASCAL, ADA, & MODULA-2 (Darrell

Morgeson) published in Modula-2 with recursion implemented. The listing had one logic error which caused pointer explosion on the last hypothesis in the GETRULE routine. This implementation follows the MODULA-2 design completely and was not designed from the ground up in Ada.

The following files are associated with this item:

Directory: PD: <ada.ai></ada.ai>	
EXPÉRT.ADA	36105
EXPERT.DAT	890
EXPERT.PRO	3368
3 Files	40363

# LISP Routines

Machine/System Compiled/Run on: VAX/VMS DEC Ada

#### Abstract:

This is a package of types, objects, and functions that emulate the important capabilities of the AI language LISP which are not directly available in Ada. These capabilities will be represented in Ada in a relatively straightforward manner without changing the Ada language definition.

The following files are associated with this item:

Directory: PD: <ada.ai></ada.ai>	
ALSP.ABS	2038
ALSP.CM2	8457
ALSP.CMM	5951
ALSP.PRO	3642
ALSPDESGN.DOC	92478
ALSPREAD.ME	1561
ALSPREN.SUB	300
ALSPSRC.DIS	165
ALSPTECH.DOC	127481
ALSPTYPES.SRC	214879
ALSPUSER.DOC	87583
11 Files	544535

# **ANSI-LRM**

¥

**5** 

\_

-

# PD:<ADA.ANSI-LRM>

This subdirectory contains a machine-readable copy of the ANSI Version of the Ada Language Reference Manual (LRM). The files were obtained from the directory <ADA-LSN> on ECLB, and the file FTPFILES.SUB shows the FTP process used to copy the files over and the renaming that was done.

Chapters 1-14 and Appendices A-F are included as CHAPxx.DOC (like, CHAP01.DOC or CHAPA.DOC). Error files are also included as CHAPxx.ERR. The Foreword (FOREWORD.DOC, ERR), Postscript (POSTSCRPT.DOC, ERR), and Table of Contents (TOC.DOC) are included. INDEX.DOC contains the index.

Directory: PD: <ada.ansi-lrm< th=""><th>M&gt;</th><th></th><th></th></ada.ansi-lrm<>	M>		
AARÉAD.ME	656		
CHAP01.DOC	28756		
CHAP01.ERR	3882	 State of the Louisian	
CHAP02.DOC	25873		
CHAP02.ERR	916		
CHAP03.DOC	148935		
CHAP03.ERR	22863		
CHAP04.DOC	93644		
CHAP04.ERR	14398		
CHAP05.DOC	30966		
CHAP05.ERR	815		
CHAP06.DOC	37794		
CHAP06.ERR	9488		
	40501		
CHAP07.DOC	40301		
CHAP07.ERR			
CHAP08.DOC	41799	 	
CHAP08.ERR	9116	•	
CHAP09.DOC	62084		
CHAP09.ERR	11503		
CHAP10.DOC	35205		
CHAP10.ERR	9263		
CHAP11.DOC	38382		
CHAP11.ERR	6773	An	<b>*</b>
CHAP12.DOC	45319 5550		
CHAP12.ERR	52136		
CHAP13.DOC	3161		
CHAP13.ERR CHAP14.DOC	99653		
CHAP14.DOC CHAP14.ERR	12395		
CHAP14.ERR CHAPA.DOC	26702		
CHAPA.ERR	2655		
CHAPA.ERR CHAPB.DOC	10518		
CHAPB.ERR	1181		
	13526	 	
CHAPC.DOC	664		
CHAPC.ERR	21166		
CHAPD.DOC	19552		
CHAPE.DOC			
CHAPF.DOC	2351		
CHAPF.ERR	419		
FOREWARD.D16	4202		
FOREWARD.DOC	4487		
FOREWARD.ERR	2014		
FTPFILES.SUB	1951		
INDEX.DOC	171677		•
POSTSCRPT.D16	3416		
POSTSCRPT.DOC	3746		
POSTSCRPT.ERR	435 6974	 	
TOC.D16	7551	 	
TOC.DOC	/331		
49 Files	1201050		
47 LH62	1201030	•	

# Benchmarks

# PD:<ADA.BENCHMARKS>

This subdirectory contains various Ada compiler benchmarks. Benchmarks submitted in conjunction with the NOSC tools are located in the Ada Repository BENCHMARKS directory.

Directory: PD: <ada.benc< th=""><th>HMARKS&gt;</th></ada.benc<>	HMARKS>
ADAFAIR85.CMM	3978
ADAFAIR85.DOC	241861
ADAFAIR85.PRO	2094
ADAFAIR85.SRC	243002
BENCH.DOC	7291
BENCHABS.DOC	2658
BENCHADA.SRC	75057
BENCHDHRY.ADA	18473
BENCHMARK.CMM	3266
BENCHMARK.PRO	3857
BENCHPFC.DIS	332
BENCHPFC.SRC	81329
BENCHRES.DOC	10307
BENCHSRC.DIS	241
BENENV.INF	103
BENHTOOLS.ADA	10791
BENMATH.ADA	965
BENWHET.COM	262
JPMOBENCH.CMM	3446
JPMOBENCH.DIS	494
JPMOBENCH.DOC	20454
JPMOBENCH.PRO	4039
JPMOBENCH.SRC	115548
PIWG.DOC	14507
PIWG.PRO	3350
PIWG83186.CMM	424
PIWGA831.INC	672
PIWGA831.SRC	241273
PIWGB831.INC	579
PIWGB831.SRC	147989
PIWGC831.INC	809
PIWGC831.SRC	533807
PIWGD831.INC	601
PIWGD831.SRC	201739
SRITESTS.DOC	106035
SRITESTS.PRO	1912
SRITESTS.SRC	108160
TASKING.DOC	110056
TASKING.PRO	3008
TASKING.SRC	66865
40 Files	2391634
40 LHC2	2371034

# ADAFAIR85

Author : LA AdaTEC, POC: Ed Colbert

: Absolute Software : 220 40th Street

: Manhatten Beach, CA 90266

Machine/System Compiled/Run on: VAX/VMS

Abstract: ADAFAIR85 contains a set of tests/benchmarks used to compare various Ada

compilers.

The following files are associated with this item:

Directory: PD: <ada.benchmarks></ada.benchmarks>			
ADAFAIR85.CMM	3978		
ADAFAIR85.DOC	241861		
ADAFAIR85.PRO	2094		
ADAFAIR85.SRC	243002		
4 Files	490935		

# Benchmarks

Machine/System Compiled/Run on: DEC Ada, VAX/VMS

### Abstract:

A suite of timing and sizing benchmark programs written in "C", Ada, Fortran and Pascal. The first program in the suite is the Whetstone benchmark, which measures processor speed. This benchmark suite is available in "C", Ada, Fortran and Pascal. The other program in the suite is the Dhrystone benchmark. The Dhrystone benchmark measures statement execution per unit time. Dhrystone is available only for Ada.

The following files are associated with this item:

Directory: PD: <ada.benchmarks></ada.benchmarks>		
BENCH.DOC	7291	
BENCHABS.DOC	2658	
BENCHADA.SRC	75057	
BENCHDHRY.ADA	18473	
BENCHMARK.CMM	3266	
BENCHMARK.PRO	3857	
BENCHPFC.DIS	332	
BENCHPFC.SRC	81 <u>329</u>	
BENCHRES.DOC	10307	
BENCHSRC.DIS	241	
BENENV.INF	103	
BENHTOOLS.ADA	10791	
BENMATH.ADA	965	
BENWHET.COM	262	
======================================		
14 Files	214932	

# JPMO Benchmarks

Machine/System Compiled/Run on: Telesoft 1.3 (unvalidated), WICAT/ROS

## Abstract:

=

This tool is a series of very simple benchmarks which are used to test the validity of various assumptions that one might make about the behavior of a compiler. Probably all the implicit assumptions are valid, these tests just check that something has not been overlooked that could severely distort detailed quantitative tests. There should be no significance given to the numerical results of these tests, they just provide a framework for other tests. There is not even a pressing need to make sure of the status (or emptiness) of the machine on which they are run, since the desired comparison is one to another, not to some absolute.

The following files are associated with this item:

Directory: PD: <ada.benchmarks></ada.benchmarks>		
JPMÖBENCH.CMM	3446	
JPMOBENCH.DIS	494	
JPMOBENCH.DOC	20454	
JPMOBENCH.PRO	4039	
JPMOBENCH.SRC	115548	
=======================================	======================================	
5 Files	143981	

## PIWG Benchmarks

Unit name : PIWG Benchmarks Version : TAPE\_8\_31\_86

Author: ACM SIGAda Performance Issues Working Group (PIWG)

Machine/System Compiled/Run on: Numerous

PIWG is a suite of tests/benchmarks prepared by the Performance Issues Working Group of ACM SIGAda. The purpose of PIWG is to develop the benchmarks and collect and disseminate results.

The PIWG tests have been under development for many years and have been run against many Ada compilers. The PIWG test suite contains over 190 files which include Whetstone (to measure processor speed), Dhrystone (to measure statement execution per unit time), and other benchmarks which test various attributes of the Ada language and their implementations under specific compilers. The PIWG tests must be customized for a particular compiler, and instructions are included to do this.

Some of the items measured by PIWG include:

- \* task creation-related timing
- \* dynamic elaboration-related timing
- \* exception-related timing
- \* coding style-related timing
- \* TEXT\_IO-related timing
- \* loop overhead-related timing

\* procedure call-related timing

\* task-related timing

\* compilation, link, and execution times

NOTE: the directory PD:<ADA.PIWG> contains each of the individual files of the PIWG Benchmark Suite, while the directory PD:<ADA.BENCHMARKS> contains the same files grouped as just a few large PAGER files.

The following files are associated with this item:

Directory: PD: <ada.benchmarks></ada.benchmarks>		
PIWG.DOC	14507	
PIWG.PRO	3350	
PIWG83186.CMM	424	
PIWGA831.INC	672	
PIWGA831.SRC	241273	
PIWGB831.INC	579	
PIWGB831.SRC	147989	
PIWGC831.INC	809	
PIWGC831.SRC	533807	
PIWGD831.INC	601	
PIWGD831.SRC	201739	
	========	
11 Files	1145750	

### **SRITESTS**

Author: SRI

Machine/System Compiled/Run on: VAX/VMS

Abstract:

SRITESTS contains a set of Ada compiler tests/benchmarks which concentrate on Ada tasking.

The following files are associated with this item:

Directory: PD:<ADA.BENCHMARKS>

SRITESTS.PRO	1912		
SRITESTS.SRC	108160	7.1	
2227722222222			
3 Files	216107		

# Tasking Benchmarks

Machine/System Compiled/Run on: DEC Ada (Version 1.2) on a VAX 8600

Keywords: tasking, tasking benchmarks, tasking overhead

Abstract:

A set of tasking benchmarks were developed in conjunction with the paper "An Assessment of the Overhead Associated with Tasking Facilities and Task Paradigms in Ada" which appeared in the January, February 1987 Ada Letters. These benchmarks were developed to measure the efficiency of the implementation of the Ada tasking model, and evaluate the additional cost of introducing intermediaries for the various tasking paradigms.

The following files are associated with this item:

Directory: PD: <ada.benchmarks></ada.benchmarks>		
TASKING.DOC	110056	
TASKING.PRO	3008	
TASKING.SRC	66865	
	========	
3 Files	179929	

#### CAIS

This directory contains software associated with the Common APSE Interface Set (CAIS).

The CAIS is defined in MIL-STD-CAIS.

Directory: PD: <ada.cais< th=""><th><b>&gt;</b></th></ada.cais<>	<b>&gt;</b>
CAIŚ.PRO	4658
CAIS.SRC	1333231
CAISTESTS.PRO	6084
CAISTESTS.SRC	385816
	=======
4 Files	1729789

# Mitre CAIS

Machine/System Compiled/Run on: Vax 8600

UNIX

Verdix Ada Development Sys

#### Abstract:

This CAIS package provides a robust subset of the inter- faces defined in the proposed Military Standard Common Apse Interface Set(CAIS). The goal of MIL-STD-CAIS is to promote tool portability by providing a standardized set of calls for operating system services. It is also hoped that definition of a generalized node model will increase the interoperability of tool sets. This subset includes:

- 5.1.1,2,3,5 -- Node\_Definitions, Node\_Management, Attributes, and Structural\_Nodes
- 5.3.1,1-4,10 -- Io\_Definitions, Direct\_Io, Sequential\_Io, Text\_Io, and File Import Export (also a few procedures from Scroll\_Terminal)

# 5.4.1-20,21 -- List\_Utilities, Identifier\_Items, and String\_Items

The interfaces not included are Access\_Control, Process\_Control, Io\_Control, the Io device packages, Float\_Item, and Integer\_Item.

It is intended that this CAIS subset be used to investigate the extent to which CAIS supports the needs of software development tools. Only by rehosting tools and their data to CAIS can the viability of CAIS be determined.

The following files are associated with this item:

Directory: PD: <ada.cais< th=""><th>S&gt;</th></ada.cais<>	S>
CAIŚ.PRO	4658
CAIS.SRC	1333231
2 Files	1337889

# Tests for Mitre CAIS

Machine/System Compiled/Run on: Vax 8600

UNIX

Verdix Ada Development Sys

# Abstract:

This set of tests exercises a wide range of the implemented CAIS interfaces. In general the results of the tests are self-documenting. However they are programmer-developed tests and are not as rigorous as might be expected for acceptance testing. They also vary in style. In some instances dependencies upon the state of the node model remain in these tests and thus may require modification.

#### The tests are:

attribute_ex.a	=> Test Exceptions on Attribute Com
cais_commandos.a	=> Set of Interactive CAIS Commands
copytree_test.a	=> Tests Copy_Tree(+Node), Rename
existree_ex.a	=> Same as Nodetree_ex sans Creates
io_ex_create_test.a	=> Test Exceptions on Text_Io.Create
io_ex_open_test.a	=> Test Exceptions on Text_Io.Open
io_ex_delete_test.a	=> Test Exceptions on Text_Io.Delete
list_test_02_12.a	=> Tests List_Utilities 5.4.2 - 12
list_test_13_ss.a	=> Tests List_Utilities 5.4.13 - 23
list_tstex.a	=> Tests Exceptions on List_Utilities
listutst.a	=> Five Quick List_Utilities Tests
list_utilities_tests-body.a	=> Part of Above
list_utilities_tests-spec.a	=> Part of Above
natt_tst_all.a	=> Test Node Attribute Commands
	=> Test Node Attribute Iterators
natt_tst_it.a	=> Adds New_Users
new_user.a	=> Tests some of Node-Management
node_mgnt.a node_management_tests-b	
node_management_tests-t	
mode_management_tests-t	rouy.a =>1 at of Above

Lau ayiya.

=> Tests some Node\_Management Excep. nodetree ex.a => Deletes Nodes from Above nodetree\_cleanup.a => Test Path Attribute Commands patt\_tst\_all.a => Test Path Attribute Iterators patt\_tst\_it.a => Main for Structural\_Nodes test struct\_nodes.a => Part of Above structural\_nodes\_tests-body.a => Part of Above structural\_nodes\_tests-spec.a => Test Window into Cais Insides test\_internals.a => Tests Node Iterate test\_node\_iterate.a => Tests some of Text\_Io text\_test.a => Part of Above text\_io\_tests-body.a => Part of Above text\_io\_tests-spec.a

The tests should be run when the CAIS is installed and users have been added. They can also be run as regression tests, if the CAIS code is modified. They may be helpful as supplementary (though rudimentary) examples to MIL-STD-CAIS.

The following files are associated with this item:

Directory: PD: <ada.cais< th=""><th>S&gt;</th></ada.cais<>	S>
CAIŚTESTS.PRO	6084
CAISTESTS.SRC	385816
2 Files	391900

# CAIS\_Tools

PD:<ADA.CAIS-TOOLS>

This subdirectory contains tools which are compatable with and modified or implemented to run under the CAIS presented in the directory PD:<ADA.CAIS>. These tools have been modified or implemented by Mitre Corporation and internally funded by Mitre.

Directory: PD: <ada.cais< th=""><th>S-TOOLS&gt;</th></ada.cais<>	S-TOOLS>
EDIŤOR.PRO	7140
EDITOR.SRC	152675
=======================================	
2 Files	159815

# **Editor**

Machine/System Compiled/Run on: VAX 8600 ULTRIX, Sun2 UNIX 4.2 Abstract:

ALED is designed to edit text files. Upon invocation, ALED prompts the user for a file name. If the file exists, its contents (lines) are read in and prepared for editing; if the file does not exist, the file is created and the empty buffer is prepared for editing. ALED is an interactive editor, accepting single-char commands, filling in a command prompt (for more info as needed), and performing its functions in real-time while the user watches. The functions provided include (but are not limited to) the following:

- \* List Lines
- \* Insert a Group of Lines into the Edit Buffer
- \* Delete Lines
- \* String Search and String Substitution
- \* Movement Within the Edit Buffer
- \* Reading in a File After a Specified Line
- \* Writing out a Range of Lines to a File
- \* Built-in, online Documentation (Summary)

ALED's design includes an input line editor, which allows the user to edit text as he types it.

The following files are associated with this item:

Directory: PD: <ada.cais-tools></ada.cais-tools>		
EDITOR.PRO	7140	
EDITOR.SRC	152675	
=======================================		
2 Files	159815	

# Compilation\_Order

# PD:<ADA.COMPILATION-ORDER>

This subdirectory contains software which deals with the analysis of groups of Adaprograms to determine the proper compilation order. Other information pertaining to the interrelationship of software segments of a system may be obtained as well.

Directory: PI	D: <ada.< th=""><th>COMPILA</th><th>ATION-</th><th>ORDER&gt;</th></ada.<>	COMPILA	ATION-	ORDER>
---------------	---	---------	--------	--------

622
236
74
1456
202
75149
3550
291226
68764
284
4855
70JJ
446418

# Compilation Order

Machine/System Compiled/Run on: DEC Ada, SUN Ada, VAX/VMS, SUN

# Abstract:

The Compilation Order Requirements Report computes a proper compilation order for given Ada source files. It then generates a report showing the computed compilation order and outputs it to the default output file.

The following files are associated with this item:

Directory: PD: <ada.com< th=""><th>IPILATION-ORDER&gt;</th></ada.com<>	IPILATION-ORDER>
COABS.CO	622
COABS.NOT	236
COMPDOC.DIS	74
COMPORD.CMM	1456
COMPORD.CO	202
COMPORD.DOC	75149
COMPORD.PRO	3550
COMPORD.SRC	291226
COMPORD.TST	68764
COMPTST.DIS	284
COREAD.ME	4855
=======================================	
11 Files	446418

Directory: PD: <ada.com< th=""><th>IPONENTS&gt;</th></ada.com<>	IPONENTS>
ABSTRACT.CMM	2263
ABSTRACT.CO	2657
ABSTRACT.PRO	3334
ABSTRACT.SRC	572620
=======================================	========
4 Files	580874

# Components

2-mad 2-1-2

# PD:<ADA.COMPONENTS>

This is the components subdirectory. Software components, including general-purpose procedures, packages, and generics, are stored here. Examples are: math packages, TERMCAP routines, generic linked list packages, and dynamic string packages.

Directory: PD: <ada.components></ada.components>		
ABSTRACT.CMM	2263	
ABSTRACT.CO	2657	
ABSTRACT.PRO	3334	
ABSTRACT.SRC	572620	
CAS2.ADA	6942	
CAS2.PRO	2452	
CAS3.ADA	8259	
CAS3.PRO	2755	
CDUPDATE.ADA	57663	
CDUPDATE.PRO	3561	
CLI.CMM	2001	
CLI.DIS	92	
CLI.PRO	<b>3745</b>	
CLI.SRC	30039	
COUNTADA.CMM	1217	
COUNTADA.PRO	4139	
COUNTADA.SRC	4587	
CPA.CMM	162	

CPA.PRO	2397		
CPA.SRC	2318		
CSET.PRO	3582	•	
CSET.SRC	16764		
	-		
DSTR1.ADA	8598		
DSTR1.PRO	3014		
=			
DSTR2.ADA	14129		
DSTR2.PRO	2993		
DSTR3.ABS	6272		1.1
DSTR3.CMM	2068		
DSTR3.PRO	4570		Note that the second second
DSTR3.SRC	16707		
			•
DSTR3.TST	7261		
DUNIT.CMM	184		
DUNIT.PRO	3041		. * · · · · · · · · · ·
DUNIT.SRC	29965		
FGET.PRO	3207		
FGET.SRC	11155		
FILECOMP.ADA	85866		
FILECOMP.PRO	3808		
GARBAGE.PRO	2646		
GARBAGE.SRC	6536		
IOSPT.PRO	3858		
IOSPT.SRC	16526		
LIMPRIOR.ADA	7374	2.1.1	
LIMPRIOR.PRO	3461		
LIST.ADA	17483		
LIST.PRO	3397		
MESSAGEIO.ADA	25068		
MESSAGEIO.PRO	3121		
NAMELIST.CMM	436		
NAMELIST.PRO	2496		
NAMELIST.SRC	21435	- · ·	
NEWABS.DIS	2768		
NEWABS.PRO	3319		
NEWABS.SRC	659811		
PARSER.PRO	4258		
PARSER.SRC	11086		
PERMUTATE.ADA	11226		
PERMUTATE.PRO	3326		
PRIOR.ADA	6398		
		er e e	
PRIOR.PRO	3582		_
QSORT.PRO	1568		
OSORT.SRC	7325		
RESERVE.AD	1306		
RESERVE.PRO	3382		
RESERVE.SRC	23186		
SAFEIO.ADA	9730	* = #****	
SAFEIO.PRO	3661		
SDEPDEC.PRO	3154		
SDEPDEC.SRC	27034		
SDEPDG.ADA	4513		
SDEPDG.PRO	4215		
SEARCH.ADA	19994		
SEARCH.ADA	17774		

SEARCH.PRO	3322
SLIST.PRO	2802
SLIST.SRC	23821
SORTARRY.ADA	62225
SORTARRY.CMM	638
SORTARRY.PRO	3380
STACK.ADA	6833
STACK.PRO	3309
TBD.ADA	13212
TBD.PRO	5322
TOD.ADA	78532
TOD.PRO	3600
VDT100.PRO	3332
VDT100.SRC	15113
VLENGTHIO.PRO	3883
VLENGTHIO.SRC	120626
	=========
88 Files	2215016

# **Abstractions**

Machine/System Compiled/Run on: DEC Ada, VMS

#### Abstract:

ABSTRACTIONS contains a number of low-level support routines which are used by NOSC tools created by Intermetrics. Several routines are of general utility.

ABSTRACTIONS is used by NOSC/WIS tools 5.1.1, 5.1.2, 6.1.2, and 6.2. See also NEW\_ABSTRACTIONS.

The following files are associated with this item:

Directory: PD: <ada.com< th=""><th>IPONENTS&gt;</th></ada.com<>	IPONENTS>
ABSTRACT.CMM	2263
ABSTRACT.CO	2657
ABSTRACT.PRO	3334
ABSTRACT.SRC	572620
225222222222	
4 Files	580874

# CAS<sub>2</sub>

Machine/System Compiled/Run on: DEC Ada, VAX/VMS

### Abstract:

This procedure calculates the "STATEMENTS" of a valid Ada fragment specified by a FILE\_NAME string parameter. It need not be a complete compilation unit, but it should have closed all open parens and strings.

The Ada statement is defined by a semicolon terminator outside of comments, parentheses, or string or character literals. This definition is insensitive to formatting or layout of the source.

There are exotic cases for which this will misestimate the count but we have never encountered one in real code.

This procedure is derived from Bill Whitaker's original COUNT\_OF\_ADA\_STATEMENTS, and it does not change his original algorithm. It adds a line count and a character-checksum hash (sum of POS values of all non-space characters in the file mod 256).

The following files are associated with this item:

Directory: PD: <ada.components></ada.components>		
CASŽ.ADA	6942	
CAS2.PRO	2452	
=======================================	========	
2 Files	9394	

## CAS3

Machine/System Compiled/Run on: DEC Ada, VAX/VMS

#### Abstract:

This procedure calculates the "STATEMENTS" of a valid Ada fragment specified by a FILE\_NAME string parameter. It need not be a complete compilation unit, but it should have closed all open parens and strings.

The Ada statement is defined by a semicolon terminator outside of comments, parentheses, or string or character literals. This definition is insensitive to formatting or layout of the source.

There are exotic cases for which this will misestimate the count but we have never encountered one in real code.

This procedure is derived from Bill Whitaker's original COUNT\_OF\_ADA\_STATEMENTS, and it does not change his original algorithm. It adds a line count and a character-checksum hash (sum of POS values of all non-space characters in the file mod 256). It also adds a count of the comment lines (over CAS2, which does not).

The following files are associated with this item:

Directory: PD: <ada.components></ada.components>		
CAS3.ADA	8259	
CAS3.PRO	2755	
	22223332	
2 Files	11014	

# **CDUPDATE**

Machine/System Compiled/Run on: DG MV10000, ROLM ADE

VAX 11/780, DEC ACS RATIONAL R1000

#### Abstract:

This generic package contains routines to perform files revision control. Given a baseline ASCII file, and one or more update decks stored in a single file, it generates an updated or downdated version of the baseline. The update decks can be generated automatically by the package File\_Compare\_Utilities

The following files are associated with this item:

Directory: PD: <ada.components></ada.components>	
CDUPDATE.ADA	57663
CDUPDATE.PRO	3561
2 Files	61224

## CLI

Machine/System Compiled/Run on: Telesoft 1.3 (unvalidated), WICAT/ROS

# Abstract:

The Command Language Interpreter (CLI) implements the tools found in chapters one and two of "Software Tools in Pascal" by Brian W. Kernighan and P.J. Plauger. The commands available for execution are: copy, charcount, linecount, wordcount, detab, entab, overstrike, compress, expand, translit and quit. Most of the commands read subsequent text from the terminal modifying it in one way or another.

The following files are associated with this item:

Directory: PD: <ada.con< th=""><th>IPONENTS&gt;</th></ada.con<>	IPONENTS>
CLI.ĆMM	2001
CLI.DIS	92
CLI.PRO	3745
CLI.SRC	30039
	=======
4 Files	35877

### CAS

Machine/System Compiled/Run on: DEC Ada, VAX/VMS

## Abstract:

This function calculates the "statements" of a valid Ada fragment specified by a FILE\_NAME string parameter. It need not be a complete compilation unit but it should have closed all open parentheses and and string brackets. The number of statements of code is returned as an integer. The Ada statement is defined by a semicolon

terminator outside of comments, parentheses, or string or character literals. The definition is insensitive to formatting or layout of the source. This copy of the function is embedded in a test and driver program. The driver has a feature of correcting for the common error of leaving out the extension on a file name. The nature of this extension is system dependent and a ".TXT" extension is used.

The following files are associated with this item:

Directory: PD: <ada.components></ada.components>	
COUNTADA.CMM	1217
COUNTADA.PRO	4139
COUNTADA.SRC	4587
3 Files	9943

# Compools\_in\_Ada

Machine/System Compiled/Run on: VAX 11/780, VMS 4.4, DEC Ada

Abstract:

CPA - Compools in Ada

CPA.SRC -- This file contains the programs for the compool like structure in Ada. This structure is similar to a common block.

Contraction of the contract of

The following files are associated with this item:

Directory: PD: <ada,con< th=""><th>IPONENTS&gt;</th></ada,con<>	IPONENTS>
CPA.CMM	162
CPA.PRO	2397
CPA.SRC	2318
**********	
3 Files	4877

# Character Set

Machine/System Compiled/Run on: DG MV 10000, ROLM ADE

Abstract:

CHARACTER\_SET provides a number of test routines which determine if a given character falls into a particular class of characters. See the visible section for details. It also provides routines for character and string letter case conversion (to lower case, to upper case) and for naming control characters.

The following files are associated with this item:

Directory: PD: <ada.0< th=""><th>COMPONENTS&gt;</th></ada.0<>	COMPONENTS>
CSEŤ.PRO CSET.SRČ	3582 16764

# Dynamic String

Machine/System Compiled/Run on: DG MV 10000, ROLM ADE

## Abstract:

Ē

This package creates and manipulates dynamic (variable-length) strings under Ada. See the source code for further details and documentation.

The following files are associated with this item:

Directory: PD: <ada.com< th=""><th>IPONENTS&gt;</th></ada.com<>	IPONENTS>
DSTŘ1.ADA	8598
DSTR1.PRO	3014
2 Files	11612

# **Dynamic String**

Machine/System Compiled/Run on: DG MV 10000 with ROLM ADE DEC VAX 11/780 with DEC Ada

# Abstract:

Dynamic\_Strings is a generic package which provides a set of routines to manipulate dynamic strings. See the documentation in the source code for references to magazine articles et al.

The following files are associated with this item:

Directory: PD: <ada.components></ada.components>	
DSTŘ2.ADA	14129
DSTR2.PRO	2993
	=======
2 Files	17122

# **Dynamic String 3**

Machine/System Compiled On: VAX 8600 / Ultrix / VERDIX

# Abstract:

This is a package of several string manipulation functions based on a built-in dynamic string type DYN\_STRING. It is an adaptation and extension of the package proposed by Sylvan Rubin of Ford Aerospace and Communications Corporation in the Nov/Dec 1984 issue of the Journal of Pascal, Ada and Modula-2. Some new functions have been added, and much of the body code has been rewritten.

The following files are associated with this item:

Directory: PD: <ada.com< th=""><th>IPONENTS&gt;</th></ada.com<>	IPONENTS>
DSTR3.ABS	6272
DSTR3.CMM	2068
DSTR3.PRO	4570
DSTR3.SRC	16707
DSTR3.TST	7261
=======================================	
5 Files	36878

# **DIMENSIONAL\_UNITS**

Machine/System Compiled/Run on: DEC Ada on VAX

APLEX (Telegen 2) on Gould 32/97 running MPX

Keywords: Dimensional Units

Abstract:

This package provides useful parent types for derived dimensional units. That is, it makes it possible to do this:

type Feet is new Integer\_Unit; type Radians is new Float\_Unit.

Objects of type Feet can be added together, but can't be multiplied together to get a result in feet. See Dr. Dobb's Journal of Software Tools issue #127 (May 1987) page 50 for a complete description of how to use this package.

The following files are associated with this item:

Directory: PD: <ada.com< th=""><th>IPONENTS&gt;</th></ada.com<>	IPONENTS>
DUŃIT.CMM	184
DUNIT.PRO	3041
DUNIT.SRC	29965
	========
3 Files	33190

# **FGET**

Machine/System Compiled/Run on: DG MV 10000, ROLM ADE DEC VAX 11/785, DEC Ada

#### Abstract:

Package FGET manipulates an object which is a text file. Its main purpose is to return characters from this file, allowing one-character look-ahead. A character which has been obtained from the file via GETC can be returned to the file by an UNGETC, in which case the next GETC will return the same character again. Additionally, GETC returns ASCII.CR if the end of a text line is reached and ASCII.ETX if the end of the file is reached.

The following files are associated with this item:

Directory: PD:<ADA.COMPONENTS> FGET.PRO 3207

FGET.FRO 3207 FGET.SRC 1 1155

2 Files 14362

**FILECOMP** 

Machine/System Compiled/Run on: DG MV10000, ROLM ADE

VAX 11/780, DEC ACS RATIONAL R1000

See\_Also: CDUPDATE

Abstract:

This generic package contains routines to compare two ASCII files. It produces as output a side-by-side listing of both files, showing their differences in a very readable format, and also produces an update deck which can be used to provide a mapping between the two files. This update deck is meant to be input for a revision control package, called Context\_Directed\_Update\_Utilities.

The following files are associated with this item:

### Garbage Collection

Machine/System Compiled/Run on: Data General MV/10000 running the Ada

Development Environment 2.2

#### Abstract:

This is a generic garbage collector. It simply maintains an internal linked list of items which have been freed then reuses these items when more are needed.

The following files are associated with this item:

Directory: PD:<ADA.COMPONENTS>
GARBAGE.PRO 2646
GARBAGE.SRC 6536

2 Files 9182

### I/O Support

Machine/System Compiled/Run on: DG MV 10000, ROLM ADE

#### Abstract:

IO\_SUPPORT is a companion package for SYSDEP, a system dependencies package that provides console input and console output without echo on the input and without control character interpretation. IO\_SUPPORT, which employs SYSDEP, provides an input line editor and interfaces to the routines in SYSDEP which provide a greater degree of functionality than SYSDEP itself provides.

For applications which are embedded and do not require features of TEXT\_IO other than simple character or string I/O, IO\_SUPPORT with SYSDEP offer an alternative to withing in the entire TEXT\_IO package.

The philosophy behind creating SYSDEP is to provide low-level I/O routines which can be built upon to implement applications which require raw I/O, such as communications servers and character-oriented tools. IO\_SUPPORT goes one step further by providing a set of commonly-used routines around SYSDEP, preventing the need for constantly reinventing the basic wheel.

The following files are associated with this item:

Directory: PD: <ada.com< th=""><th>IPONENTS&gt;</th></ada.com<>	IPONENTS>
IOSPT.PRO	3858
IOSPT.SRC	16526
=======================================	
2 Files	20384

### Limited Prioritized Queue

Machine/System Compiled/Run on: DEC Ada, VAX/VMS

#### Abstract:

This generic package creates a Prioritized Queue of a User-defined Limited number of objects. The Queue is First-In, First-Out except where overridden by the priority. The priority may be any discrete type. It is assumed that the priorities are from lowest to highest. The type of data structure to be instantiated for the queue may be any type having assignment and equality. Other types may be enqueued by using access types. (i.e. Access variable pointing to a task.)

The following files are associated with this item:

Directory: PD: <ada.components></ada.components>	
LIMPRIOR.ADA	7374
LIMPRIOR.PRO	3461
=======================================	======================================
2 Files	10835

#### Linked List

Machine/System Compiled/Run on: DEC Ada, VAX/VMS

Abstract:

This package provides a number of routines which can be used to manipulate a doubly-linked list. See the visible section for a rather complete set of documentation on the routines.

Each element of the list is of the following structure:

#### RECORD

element\_pointer; -- ptr
 previous: element\_pointer; -- ptr
END RECORD;

The following files are associated with this item:

	. д
Directory: PD: <ada.cc< th=""><th>OMPONENTS&gt;</th></ada.cc<>	OMPONENTS>
LIST.ADA	17483
LIST.PRO	3397
2 Files	20880

### Message I/O

Machine/System Compiled/Run on: VAX 11/785 VMS 4.1 DEC Ada

#### Abstract:

This package is used for sending messages to the defaut output file. See the visible part for the details of the structure of the messages. Minor changes to this package (including making the length of certain fields generic parameters) would make this package much more versatile.

The following files are associated with this item:

Directory: PD: <ada.com< th=""><th>PONENTS&gt;</th></ada.com<>	PONENTS>
MESSAGEIO.ADA	25068
MESSAGEIO.PRO	3121
	=========
2 Files	28189

#### Namelist

W

Machine/System Compiled/Run on: VAX 11/780, VMS 4.4, DEC Ada

#### Abstract:

NAMELIST - An input package which implements the FORTRAN NAMELIST capability.

The following files are associated with this item:

্তি ক্ষাৰ্থক ক্ষাৰ্থক ক্ষাৰ্থক হ'ব ও ভাগীক ক্ষিত্ৰ হৈছে। তেও কিছে চাত্ৰ চিত্ৰ চাত্ৰ চাত্ৰ চাত্ৰ চাত্ৰ চিত্ৰ ক্ বিশ্বস্থান 

#### New Abstractions

Machine/System Compiled/Run on: DEC Ada, VAX/VMS

#### Abstract:

NEW\_ABSTRACTIONS contains a number of low-level support routines which are used by NOSC tools created by Intermetrics. Several routines are of general utility.

NEW\_ABSTRACTIONS is used by NOSC/WIS tools 4.1.1 and 4.1.2. See also ABSTRACTIONS.

The following files are associated with this item:

Directory: PD: <ada.con< th=""><th>IPONENTS&gt;</th></ada.con<>	IPONENTS>
NEWABS.DIS	2768
NEWABS.PRO	3319
NEWABS.SRC	659811
25254255757575	========
3 Files	665898

#### Parser

Machine/System Compiled/Run on: DG MV10000 (ROLM ADE) and

DEC VAX 11/785 (DEC Ada)

#### Abstract:

PARSER is a generic parser that functions in a manner similar to the ARGC/ARGV parser of UNIX. It contains one procedure, PARSE, which accepts a string as input and returns ARGC, a count of the number of tokens in the string, and ARGV, a vector of strings, each string containing a token.

PARSER is instantiated with two strings (DEL for DELIMITER and DEL\_TOKEN for DELIMITER\_TOKEN). The DEL string is composed of characters which delimit each token (and are not a part of the token). All characters less than space are automatically delimiters, and the DEL string should contain at least one character (such as a space). DEL\_TOKEN is a string composed of characters which delimit tokens an which are tokens themselves. If "=" is a DEL\_TOKEN, for example, then "CAT= DOG" is composed of three tokens, "CAT", "=", and "DOG", where if "=" is a DEL, then "CAT= DOG" is composed of two tokens, "CAT" and "DOG". This assumes that the space character is a DEL.

PARSER may also be instantiated with ARGC\_LIMIT, which indicates the maximum number of tokens allowed. If this limit is exceeded, then the last ARGV token contains the remainder of the string. The default value of ARGC\_LIMIT is 20.

ARG\_STRING\_LENGTH is the last instantiation option for PARSER. It indicates the maximum length of an ARGV string, and it defaults to 80.

The following files are associated with this item:

Directory: PD: <ada.components></ada.components>	
PARŠER.PRO	4258
PARSER.SRC	11086
=======================================	=======
2 Files	15344

#### Permutations Class

Machine/System Compiled/Run on: DG MV/10000 ADE 2.2

#### Abstract:

Mary 6 T

This is a generic package which, given an array of items, forms all possible permutations using these items. The package does so by providing a generic permutation class, within which is an iterator. The iterator has a generic formal subprogram to which it passes each permutation.

The package may make a nice example of the following Ada features: nested generics, recursion, generic formal subprograms as a method of implementing an iterator.

The following files are associated with this item:

Directory: PD: <ada.components></ada.components>		
PERMUTA'	TE.ADA	11226
PERMUTA'	TE.PRO	3326
======	=====	
2 Files	14552	

#### Prioritized Queue

Machine/System Compiled/Run on: DEC Ada, VAX/VMS

#### Abstract:

This generic package creates a Prioritized Queue of objects. The Queue is First-In, First-Out except where overridden by the priority.

The priority may be any discrete type. It is assumed that the priorities are from lowest to highest. The type of data structure to be instantiated for the queue may be any type having assignment and equality. Other types may be enqueued by using access types. (i.e. Access variable pointing to a task.) The space for the Queue is allocated dynamically with garbage collection left up to the target system.

The following files are associated with this item:

Directory: PD:<ADA.COMPONENTS>

PRIOR.ADA	6398
PRIOR.PRO	3582
2 Files	9980

### **Quick Sort**

Machine/System Compiled/Run on: DG MV 10000, Ada Development Environment

#### Abstract:

This generic procedure uses the QuickSort algorithm to sort an array of any base type with any discrete index type.

The following files are associated with this item:

Directory: PD: <ada.com< th=""><th>IPONENTS&gt;</th></ada.com<>	IPONENTS>
QSOŘT.PRO	1568
QSORT.SRC	7325
2 Files	8893

# Ada Reserved Word Identification

Machine/System Compiled/Run on: DEC Ada, DEC 8600

#### Abstract:

This package contains the single function "is\_Ada\_reserved\_word". It returns with either a "true" or "false" to the statement "the input character string is a reserved word in the Ada language".

The contribution of the function is that it executes very quickly, being an implementation of the algorithm defined by David Wolverton in "A Perfect Hash Function for Ada Reserved Words", as published in Ada Letter, July-August 1984. It is much faster than either linear or binary searches of all the Ada reserved words.

A test driver is included, as is sample test data.

The following files are associated with this item:

Directory: PD: <ada.com< th=""><th>IPONENTS&gt;</th></ada.com<>	IPONENTS>
RESÉRVE.AD	1306
RESERVE.PRO	3382
RESERVE.SRC	23186
	######################################
3 Files	27874

#### Safe IO

Machine/System Compiled/Run on: DEC Ada, VAX/VMS

For a concentration of the standard was less

#### Abstract:

This generic package allows the user to input data types from the keyboard while checking the input for errors. (Proper Type: syntax and ranges.)

A procedure for checking input of characters for a proper subrange of the character set is provided.

When an error is encountered, an error message is displayed and the user is allowed to reenter. Output routines are provided to allow the user to do I/O with only one instantiation. Screen manipulation (i.e. NEW\_LINE) should be done with TEXT\_IO directly.

Instantiations require a FIELD\_WIDTH which specifies the maximum field width for the input of the corresponding type.

The following files are associated with this item:

Directory: PD: <ada.components></ada.components>	
SAFÉIO.ADA	9730
SAFEIO.PRO	3661
=======================================	=========
2 Files	13391

#### SYSDEP DEC

Machine/System Compiled/Run on: DG MV 10000, ROLM ADE DEC VAX 11/785, DEC Ada

#### Abstract:

----

SYSDEP2 provides a "standard" mechanism for character-at-a- time I/O under Ada. The I/O is without echo or special interpretation (such as abort code trapping) on input.

This SYSDEP2 submission is implemented for the Data General MV 10000 running the ROLM ADE and for the DEC VAX 11/785 running DEC Ada.

The following files are associated with this item:

#### SYSDEP DG

Machine/System Compiled/Run on: DG MV 10000, ROLM ADE

Abstract:

SYSDEP provides GET, PUT, and IS\_VALID\_CHARACTER as basic I/O routines which are defined as follows:

GET - return the next character from the console without any interpretation (all 128 ASCII characters may be input with exceptions as noted by IS\_VALID\_CHARACTER) and without echo (echo must be supplied by the user)

PUT - output the indicated character without interpretation (any valid character, noted by IS\_VALID\_CHARACTER, may be output by PUT

This simple pair of defined functions permits a more flexible and constant I/O configuration than that provided by TEXT\_IO and opens up the door to future tools written in Ada, such as communications servers. Adaption of SYSDEP to interface thru CAIS definitions, when such definitions are established and placed in use, can be done at a later time. OPEN\_CONSOLE and CLOSE\_CONSOLE must be called before the first use of PUT or GET and after the last use of PUT or GET, resp.

The following files are associated with this item:

Directory: PD:<ADA.COMPONENTS>

SDEPDG.ADA

4513

SDEPDG.PRO

4215

2 Files

8728

#### SEARCH

Machine/System Compiled/Run on: DG MV10000, ROLM ADE

VAX 11/780, DEC ACS RATIONAL R1000

#### Abstract:

This generic package contains binary and sequential searching routines for arrays. A full paper describing this unit's capabilities is available by contacting the author (see the prologue file for address).

The following files are associated with this item:

Directory: PD:<ADA.COMPONENTS> SEARCH.ADA 19994 SEARCH.PRO 3322 2 Files 23316

### Singly Linked List

Machine/System Compiled/Run on: VAX/VMS 4.1/VMS 4.1

#### Abstract:

This package provides an abstract singly linked list with a single point of reference.

Catalog of Reusable Software Components, Page 30

The following files are associated with this item:

Directory: PD:<ADA.COMPONENTS>

SLIST.PRO

2802

SLIST.SRC \_\_\_\_\_\_

23821

2 Files

26623

#### SORTARRY

Machine/System Compiled/Run on: DG MV10000, ROLM ADE

VAX 11/780, DEC ACS RATIONAL R1000

(others)

### Abstract:

This generic package contains several array sorting routines.

The following files are associated with this item:

Directory: PD:<ADA.COMPONENTS>

SORTARRY.ADA 638 SORTARRY.CMM 3380 SORTARRY.PRO \_\_\_\_\_

3 Files

66243

#### **STACK**

Machine/System Compiled/Run on:DG MV 10000, ROLM ADE

#### Abstract:

This is a generic package that provides the types, procedures and exceptions to define an abstract stack and its corresponding operations. Using an instantiation of this generic package, one can declare multiple versions of a stack of type GENERIC\_STACK. The stack operations provided include:

- 1. clear the stack.
- 2. pop the stack,
- 3. push an element onto the stack, and
- 4. access the top element on the stack.

The following files are associated with this item:

Directory: PD:<ADA.COMPONENTS>

STACK.ADA 6833 3309 STACK.PRO \_\_\_\_\_\_\_ 2 Files 10142

#### **TBD**

Machine/System Compiled/Run on: Vax 11/785 VMS 4.1 Dec-Ada

#### Abstract:

TBD stands for "To Be Determined". This package is intended to be used during design to aid in producing partial designs that are expressed in valid Ada. It also may be used advantageously in development while the implementation is incomplete or in rapid prototyping.

In particular, it supplies type definitions, range limits, and default values which may be used to assist in describing unknown or partially defined types, objects, and values. In addition, it supplies a place-holding procedure call.

If this TBD\_PACKAGE is used, simple searches for the string "TBD" may be used to find many places where the design is incomplete.

N.B.: The types defined here should be used to derive those used in the design, rather than being used directly (see the usage given below for examles of the style).

The following files are associated with this item:

Directory: PD: <ada.con< th=""><th>(PONENTS&gt;</th></ada.con<>	(PONENTS>
TBD.ADA	13212
TBD.PRO	5322
=======================================	
2 Files	18534

#### TOD

Machine/System Compiled/Run on: DG MV10000, ROLM ADE

VAX 11/780, DEC ACS RATIONAL R1000

#### Abstract:

This package contains time-of-day conversion routines. One routine takes practically any time/date STRING and converts it to CALENDAR.TIME format. The other routine takes a CALENDAR.TIME value and converts it to a STRING containing the day name, full date, and time (resolution to the nearest second).

Directory: PD: <ada.components></ada.components>	
TOD.ADA	78532
TOD.PRO	3600
	=========
2 Files	82132

#### VDT100

Machine/System Compiled/Run on: Telesoft Ada 1.5, VAX

#### Abstract:

VDT100.SRC contains a package which provides a set of routines to interface with a VT100 computer terminal, providing procedures for functions such as cursor positioning and clear screen. Included is a test program, which is a solution to the Towers of Hanoi.

The following files are associated with this item:

Directory: PD: <ada< th=""><th>COMPONENTS&gt;</th><th></th></ada<>	COMPONENTS>	
VDT100.PRO	3332	
VDT100.SRC	15113	,
		=
2 Files	18445	í

### Variable-Length Direct I/O

Machine/System Compiled/Run on: VAX 11/785 VMS 4.1

DEC Ada

#### Abstract:

This is a package similar to DIRECT\_I that operates on records of variable length. The body of this package may use CAIS utilities in the future.

This package allows the user to write elements of differing lengths to a single direct access file. This package can be used to write data of all types to a single file (with the aid of UNCHECKED\_CONVERSION). The DATA\_FILE\_IO package in the Ada repository serves as an example of how this can be accomplished.

This package also reduces the time-per-byte-of-data-transfered by reducing the number of calls to the run time libraray routines associated with the predefined generic package DIRECT\_IO. This is accomplished by placing many incoming records into a large buffer and then writing the entire buffer to an external file as a single element (vice versa for reading). Bytes\_Per\_Block, the only generic parameter for this package, determines the size (in bytes) of this buffer.

The following files are associated with this item:

Directory: PD: <ada.components></ada.components>	
VLENGTHIO.PRO	3883
<b>VLENGTHIO.SRC</b>	120626
2 Files	124509

# Cross\_Reference

#### PD:<ADA.CROSS-REFERENCE>

This subdirectory contains tools which generate cross-reference listing of Ada programs.

Directory: PD: <ada.cross-reference></ada.cross-reference>		
ADAREF.COM	682	
ADAREF.DOC	628	
ADAREF.PAS	23786	
ADAREF.PRO	3147	
	========	
4 Files	28243	

### Ada\_Cross\_Reference

Machine/System Compiled/Run on: DEC VAX 11/785, DEC Pascal

#### Abstract:

This is an Ada cross reference program, written in Pascal. Adapted from an original work by Wirth in his book "Algorithms + Data Structures = Programs", several modifications were made to create the present form. See the opening comments for authors and revision history.

The following files are associated with this item:

Directory: PD: <ada.cross-reference></ada.cross-reference>	
ADAREF.COM	682
ADAREF.DOC	628
ADAREF.PAS	23786
ADAREF.PRO	3147
4 Files	28243

### Data Base Management

#### PD:<ADA.DBMS>

This directory contains Ada software components and programs directly related to Data Base Management functions.

Directory: PD: <ada.dbm< th=""><th>IS&gt;</th></ada.dbm<>	IS>
MIMS.CMM	1061
MIMS.PRO	4253
MIMS.SRC	81285
3 Files	86599

#### **MIMS**

Machine/System Compiled/Run on: ROLM Ada, DG

#### Abstract:

As a demonstration of the use of Ada for command and control applications, the current airborne and ground mobile systems at SAC (600,000 LOC - JOVIAL) are being consolidated into a mobile data management system using a common data format and query language with graphical display capabilities. The system includes an integrated data management system, automatic and manual update of the data, ad hoc data retrieval, building and maintaining displays as well as interaction with the working file, display transfers, and manual backup. It uses a multiple task environment to interface with several I/O devices, enter data into and retrieve data from similar systems across the communication links, and provide timely access to about 500 million characters of data.

Three packages (two generic) are provided from the MIMS at this time: balanced trees, source scanner, and variable lists.

The following files are associated with this item:

Directory: PD: <ada.dbm< th=""><th>1S&gt;</th></ada.dbm<>	1S>
MIMS.CMM	1061
MIMS.PRO	4253
MIMS.SRC	81285
	=======================================
3 Files	86599

#### DDN

#### PD:<ADA.DDN>

This subdirectory contains tools and components related to the Defense Data Network, its file transfer, mail, and communications facilities. Implementations of the TCP/IP communications protocol, the FTP file transfer tool, and the SMTP mail handler are included.

Directory: PD: <ada.ddn></ada.ddn>	
FTP.COM	1080
FTP.PRO	3733
FTP.SRC	375318
FTPBATCH.COM	548
FTPSMTP.CMM	1253
IFACE.COM	512
IFACE.SRC	48820
IFACEBAT.COM	570
SMTP.COM	658
SMTP.PRO	3733
SMTP.SRC	68638
SMTPBAT.COM	545
SMTPSER.COM	1020
SMTPWICAT.DAT	198
SMTPWICAT.SRC	77005
TCPBATCMP.SUB	561
TCPBATTST.CO	551
TCPCOMP.SUB	1265
TCPIP.CMM	1248

TCPIP.DEMO	1315
TCPIP.PRO	3831
TCPSTAND.SRC	17698
TCPSTBAT.CO	181
TCPSTCOMP.CO	110
TCPSUB.SRC	364325
TCPTEST.CO	407
TCPTEST.SRC	29627
TCPWICAT.DAT	360
TCPWICAT.SRC	383241
TELBAT.CO	555
TELNET.CMM	1264
TELNET.CO	808
TELNET.PRO	3642
TELNET.SRC	194
TELWICAT.SRC	218505
USERNAMES.LCL	66
USERSMAN.DIS'	103
USERSMAN.DOC	1 <b>05</b> 163
WICATMISC.SRC	102526
40 Files	2094573

#### **FTP**

Machine/System Compiled/Run on: Telesoft 1.5 (unvalidated), WICAT/ROS

#### Abstract:

These tools provide the ability to transfer files and to send and receive mail among users on diverse hosts. File transfer will use Ada SEQUENTIAL\_IO calls to read and write files and will interface to TCP(CDRL 0001) to send data across communication lines and will interface to Telnet to send and receive all commands and replies. The Simple Mail Transfer Protocol to be implemented is RFC821.

The following files are associated with this item:

Directory: PD:<ADA.DDN> FTP.COM 1080 FTP.PRO 3733 FTP.SRC 375318 FTPBATCH.COM 548 FTPSMTP.CMM 1253 IFACE.COM 512 **IFACE.SRC** 48820 IFACEBAT.COM 570 **USERNAMES.LCL** 66 WICATMISC.SRC 102526 **USERSMAN.DIS** 103 **USERSMAN.DOC** 105163 12 Files 639692

#### SMTP/FTP

Machine/System Compiled/Run on: Telesoft 1.5 (unvalidated), WICAT/ROS

#### Abstract:

These tools provide the ability to transfer files and to send and receive mail among users on diverse hosts. File transfer will use Ada SEQUENTIAL\_IO calls to read and write files and will interface to TCP(CDRL 0001) to send data across communication lines and will interface to Telnet to send and receive all commands and replies. The Simple Mail Transfer Protocol to be implemented is RFC821.

The following files are associated with this item:

Directory: PD: <ada.ddn:< th=""><th>&gt;</th></ada.ddn:<>	>
SMTP.COM	658
SMTP.PRO	3733
SMTP.SRC	68638
SMTPBAT.COM	545
SMTPSER.COM	1020
SMTPWICAT.DAT	198
SMTPWICAT.SRC	77005
IFACE.COM	512
IFACE.SRC	48820
IFACEBAT.COM	570
USERNAMES.LCL	66
WICATMISC.SRC	102526
USERSMAN.DIS	103
<b>USERSMAN.DOC</b>	105163
14 Files	409557

### TCP/IP

Machine/System Compiled/Run on: Telesoft 1.5 (unvalidated), WICAT/ROS

#### Abstract:

The proposed tools provide communication with the Utility layer(TCP) corresponding to RFC793 and with Internet(IP). An operating system interface to VAX VMS will be provided. Internet Control Message Protocol (ICMP) will be provided as part of IP. These protocols allow multiuser access and message priority. A Test System will be provided to demonstrate these protocols, generate test scenarios, and display intermediate data.

Directory: PD: <ada.ddn></ada.ddn>	
TCPBATCMP.SUB	561
TCPBATTST.CO	551
TCPCOMP.SUB	1265
TCPIP CMM	1248

TCPIP.DEMO	1315
TCPIP.PRO	3831
TCPSTAND.SRC	17698
TCPSTBAT.CO	181
TCPSTCOMP.CO	110
TCPSUB.SRC	364325
TCPTEST.CO	407
TCPTEST.SRC	29627
TCPWICAT.DAT	360
TCPWICAT.SRC	383241
WICATMISC.SRC	102526
USERSMAN.DIS	103
USERSMAN.DOC	105163
# <b>#######</b>	
17 Files	1012512

#### **TELNET**

Machine/System Compiled/Run on: Telesoft 1.5 (unvalidated), WICAT/ROS

#### Abstract:

This tool will implement RFC-854 of the TELNET protocal supporting a bidirectional, eight-bit byte oriented communications facility. This approach encompasses three main ideas: Network Virtual Terminal (NVT), negotiated options, and a symmetric view of terminals and processes.

The following files are associated with this item:

Directory: PD: <ada.ddn< th=""><th>&gt;</th></ada.ddn<>	>
TELĎAT.CO	555
TELNET.CMM	1264
TELNET.CO	808
TELNET.PRO	3642
TELNET.SRC	273396
TELWICAT.DAT	194
TELWICAT.SRC	218505
IFACE.COM	512
IFACE.SRC	48820
IFACEBAT.COM	570
WICATMISC.SRC	102526
USERSMAN.DIS	103
USERSMAN.DOC	105163
13 Files	756058

### **Debuggers**

#### PD:<ADA.DEBUGGER>

This subdirectory contains Ada source-level debuggers. A Symbolic Debugger is included.

Directory: PD: <ada.deb< th=""><th>UGGER&gt;</th></ada.deb<>	UGGER>
SD.ABS	1801
SD.CMM	3098
SD.HLP	12212
SD.MAN	269466
SD.PRO	4203
SD.SRC	889057
SD2.HLP	21414
SDGRAMMAR.GRM	82491
SDREAD.ME	5546
SDREAD.ME2	238
SDTCF.DAT	2023
SDTEST.DAT	112103
SDTEST.DIS	54
	1 402706
13 Files	1403706

### Symbolic Debugger

Machine/System Compiled/Run on: DEC Ada / VMS

#### Abstract:

Interactive debugger will provide debugging and diagnostic aids at the Ada statement level through an "Ada-like" command language. Capabilities include: (1) Setting, resetting and displaying breakpoints; (2) Setting and displaying Ada program variables; (3) Tracing program execution at statement, block or unit level; (4) Snap dumps in printing format form or raw data form to occur periodically or on demand; (5) Execution frequency profiles for each Ada statement and entry/exit to each program block and unit, with optional report showing percentage of total execution time spent in each code block and in each statement within a block. Tool consists of source instrumentation module, debugger module and a report generator.

Directory: PD: <ada.deb< th=""><th>U<b>GGER&gt;</b></th></ada.deb<>	U <b>GGER&gt;</b>
SD.ABS	1801
SD.CMM	3098
SD.HLP	12212
SD.MAN	269466
SD.PRO	4203
SD.SRC	889057
SD2.HLP	21414
SDGRAMMAR.GRM	82491
SDREAD.ME	5546
SDREAD.ME2	238
SDTCF.DAT	2023
SDTEST.DAT	112103
SDTEST.DIS	54
10 57	1402706
13 Files	1403706

#### **Editors**

#### PD:<ADA.EDITORS>

This directory contains the source code and documentation on some text editors written in Ada.

Directory: PD: <ada.edito< th=""><th>ORS&gt;</th></ada.edito<>	ORS>
ED.ĆMM	3859
ED.DOC	47972
ED.PRO	7045
ED.SRC	69604
ED2.DOC	47230
ED2.PRO	7266
ED2.SRC	74495
WP.ABS	3985
WP.CMM	1272
WP.CVT	842
WP.PRO	3856
WPCOMMON.DIS	113
WPCOMMON.SRC	150501
WPCRT.DIS	130
WPCRT.SRC	197491
WPEDHLP.DIS	78
WPEDITOR.DIS	426
WPEDITOR.HLP	42714
WPEDITOR.SRC	636103
WPFORMAT.DAT	52484
WPFORMAT.DIS	312
WPFORMAT.SRC	486814
22 Files	1834592
22 THOS	1037372

#### **Editors**

Machine/System Compiled/Run on: DG MV 10000, ROLM ADE

#### Abstract:

ALED is designed to edit text files. Upon invocation, ALED prompts the user for a file name. If the file exists, its contents (lines) are read in and prepared for editing; if the file does not exist, the file is created and the empty buffer is prepared for editing. ALED is an interactive editor, accepting singlechar commands, filling in a command prompt (for more info as needed), and performing its functions in realtime while the user watches. The functions provided include (but are not limited to) the following:

- \* List Lines
- \* Insert a Group of Lines into the Edit Buffer
- \* Delete Lines
- \* String Search and String Substitution
- \* Movement Within the Edit Buffer
- \* Reading in a File After a Specified Line
- \* Writing out a Range of Lines to a File

\* Built-in, online Documentation (Summary)

The following files are associated with this item:

Directory: PD: <ada.edi< th=""><th>ΓORS&gt;</th></ada.edi<>	ΓORS>
ED.CMM	3859
ED.DOC	47972
ED.PRO	7045
ED.SRC	69604
	========
4 Files	128480

#### Editor 2

Machine/System Compiled/Run on: DG MV 10000, ROLM ADE

#### Abstract:

ALED is designed to edit text files. Upon invocation, ALED prompts the user for a file name. If the file exists, its contents (lines) are read in and prepared for editing; if the file does not exist, the file is created and the empty buffer is prepared for editing. ALED is an interactive editor, accepting singlechar commands, filling in a command prompt (for more info as needed), and performing its functions in realtime while the user watches. The functions provided include (but are not limited to) the following:

nin harri kalenda <u>etye</u>vaji k<del>e</del>siji

- \* List Lines
- \* Insert a Group of Lines into the Edit Buffer
- \* Delete Lines
- \* String Search and String Substitution
- \* Movement Within the Edit Buffer
- \* Reading in a File After a Specified Line
- \* Writing out a Range of Lines to a File
- \* Built-in, online Documentation (Summary)

The following files are associated with this item:

Directory: PD: <ada.edi< th=""><th>TORS&gt;</th></ada.edi<>	TORS>
ED2.DOC	47230
ED2.PRO	7266
ED2.SRC	74495
3 Files	128991

#### Word Processor

Compiler: Telesoft 1.3 (unvalidated), WICAT/ROS

#### Abstract:

WORD\_PROCESSOR is a tool for creating, modifying, and formatting ASCII text files. This package contains an editor and a text formatter which are for use by the general user. It also contains a utility for defining the help screens which are available to

the general user as well as a utility for defining new type fonts. TEXT\_EDITOR is a tool which allows a SOURCE\_FILE to be edited.

TEXT\_FORMATTER is a tool which formats the SOURCE\_FILE according to the default format and imbedded formatting commands. The output is sent to the destination device or file.

DEFINE\_HELP\_FILE is a tool which processes a help file in ASCII format to a format allowing fast access to each of the various help screens. It is for use by the systems's manager to modify user help information to his particular audience.

ADD\_TYPE\_FONT is a tool which adds new type font definitions to the text formatter's font table. It is for use by the system's manager to define new fonts when new device capabilities are added at a site.

The following files are associated with this item:

Directory:	PD: <a< th=""><th>DA.EDI</th><th>TORS&gt;</th></a<>	DA.EDI	TORS>
------------	---	--------	-------

WP.ABS	3985
WP.CMM	1272
WP.CVT	842
WP.PRO	3856
WPCOMMON.DIS	113
WPCOMMON.SRC	150501
WPCRT.DIS	130
WPCRT.SRC	197491
WPEDHLP.DIS	78
WPEDITOR.DIS	426
WPEDITOR.HLP	42714
WPEDITOR.SRC	636103
WPFORMAT.DAT	52484
WPFORMAT.DIS	312
WPFORMAT.SRC	486814
15 Files	1577121

#### Education

#### PD:<ADA.EDUCATION>

This is the education subdirectory. Sample programs, tutorials, and online courseware are located here.

#### Directory: PD:<ADA.EDUCATION>

	7 TO 1 1 P
ADA 1FOR DOC	5190
ADA2FOR.DOC	1428
ADASOFTR.DOC	7802
BIBLIO.DOC	4369
BOOT.DOC	8646
COMPOOLS.DOC	6789
FOR1ADA.DOC	2770
GLOSSARY.DOC	40187
OBJECT.DOC	8793

PDLSURVEY.DOC	10491
PNOTE1.DOC	1948
PORT1.DOC	14059
PROGERRS.DOC	75861
TEXTBOOKS.BIB	9136
TEXTBOOKS.DOC	87808
TEXTS.DOC	26291
TITR.DOC	71075
TTTRINTRO.DOC	1309
	========
20 Files	422787

### Ada to FORTRAN

These files contain information and examples of interfacing Ada routines to FORTRAN routines.

File Name	Purpose
ADA1FOR.DOC	Ada-to-FORTRAN
ADA2FOR.DOC	
FOR1ADA.DOC	FORTRAN-to-Ada

The following files are associated with this item:

Directory: PD: <ada.edu< th=""><th>CATION&gt;</th></ada.edu<>	CATION>
ADA1FOR.DOC	5190
ADA2FOR.DOC	1428
FOR1ADA.DOC	2770
3 Files	9388

### General Information

These files contain general information not filed under other categories.

File Name	Purpose
	D. C. S.
BOOT.DOC	Bootstrapping Oneself in the use of the ASR and its special tools which should be installed on your local host computer
GLOSSARY.DOC	Glossary of Ada Terms

Directory: PD: <ada.education></ada.education>	
BOOT.DOC	8646
GLOSSARY.DOC	40187
2 Files	48833

### Object-Oriented Design

These files contain information on object-oriented design techniques.

File Name

Purpose

OBJECT.DOC

On Object-Oriented Design

The following files are associated with this item:

Directory: PD:<ADA.EDUCATION>

OBJÉCT.DOC 8793

1 Files 8793

### **Productivity Data**

These files contain software productivity information on Ada-related projects.

File Name

Purpose

PRODUCT.DOC

Productivity Information from TI

The following files are associated with this item:

Directory: PD:<ADA.EDUCATION>

PRODUCT.DOC 14059

1 Files

14059

### Programming Style/Errors

These files contain notes and comments on Ada programming style, software engineering, and related topics.

File Name

Purpose

COMPOOLS.DOC

General comments, software engineering, Ada, Compools

and common blocks (and their desirability/lack of desirability)

These files contain information on common Ada programming errors.

File Name

Purpose

PNOTE\*.DOC

**Programming Notes** 

PROGERRS.DOC

Common Ada Programming Errors

The following files are associated with this item:

Directory: PD:<ADA.EDUCATION>

PNOTE1.DOC 4834

PNOTE2.DOC

1948

PROGERRS.DOC	75861
COMPOOLS.DOC	6789
	========
4 Files	89432

### **Technical Reports**

These files contain technical reports from live Ada projects. Productivity information and "lessons learned" information are included.

File Name	Purpose
	•••••
ADASOFTR.DOC	by Adasoft
PORT1.DOC	by Honeywell
TITR*.*	by TI

The following files are associated with this item:

Directory: PD: <ada.education></ada.education>	
ADASOFTR.DOC	7802
TITR.DOC	71075
TITRINTRO.DOC	1309
PORT1.DOC	34001
4 Files	114187

### **Texts**

These files contain information on Ada books.

File Name	Purpose
BIBLIO.DOC TEXT*.*	Bibliography Text Book Information and Reviews

The following files are associated with this item:

Directory: PD: <ada.edu< th=""><th>CATION&gt;</th></ada.edu<>	CATION>
BIBLIO.DOC	4369
TEXTBOOKS.BIB	9136
TEXTBOOKS.DOC	87808
TEXTS.DOC	26291
4 Files	127604

# External\_Tools

PD:<ADA.EXTERNAL-TOOLS>

This subdirectory contains several miscellaneous tools which are helpful in developing Ada code but are not written in Ada or pertain to specific environments. For example, an Ada language development interface for the EMACS editor can be found here.

Directory: PD: <ada.ext< th=""><th>ERNAL-TOOLS&gt;</th></ada.ext<>	ERNAL-TOOLS>
ADAFORM.MSG	13195
ADAFORM.PRO	16694
ADAMODE.DOC	802
ADAMODE.OLD	19176
ADAMODE.PRO	3017
ADAMODE.SRC	30163
GRAMMAR.PRO	7366
GRAMMAR.SRC	45547
READ.ME	177
	=======
10 Files	139669

### Ada Emacs Mode

Machine/System Compiled/Run on: Vax 11/780 with Unix 4.2BSD

Emacs version = Gosling #264

#### Abstract:

This set of files constitues a special 'ada-mode' for use with the Emacs editor. See the file 'ada-mode-help.doc' for more information.

The following files are associated with this item:

Directory: PD: <ada.ext< th=""><th>ERNAL-TOOLS&gt;</th></ada.ext<>	ERNAL-TOOLS>
ADAMODE.DOC	802
ADAMODE.OLD	19176
ADAMODE.PRO	3017
ADAMODE.SRC	30163
	=======
4 Files	53158

### Ada\_Form

Machine/System Compiled/Run on: UNIX using LEX & CC

#### Abstract:

NOTE: This is a UNIX lex input file. You need a lex processor (and C compiler) for this tool!! This tool is NOT in Ada.

Adaform takes a legal Ada program as input and adds Scribe commands. The output is then run through Scribe. The form of the output follows the typesetting conventions in the Ada LRM, with reserved words in lower-case/boldface. Additionally, comments are in italics. Adaform uses the Scribe indexing capability to produce an index of types, packages, procedures, etc, indexed by both name and 'class'. For instance, package

35555**5**56. 229-2**4**2. ±.

Text\_IO would be entered as "Text\_IO, package" and "Package, Text\_IO". Adaform is based on the lex input from H. Fisher's Ada grammar.

The following files are associated with this item:

Directory: PD: <ada.ext< th=""><th>ERNAL-TOOLS&gt;</th></ada.ext<>	ERNAL-TOOLS>
ADAFORM.MSG	13195
ADAFORM.PRO	3532
ADAFORM.SRC	16694
	========
3 Files	33421

#### Ada Grammar

Machine/System Compiled/Run on: UNIX

#### Abstract:

This grammar is organized in the same order as the syntax summary in appendix E of the ANSI Ada Reference Manual. All reserved words are written in upper case letters. The lexical categories numeric\_literal, string\_literal, etc, are viewed as terminals. The rules for pragmas as stated in chapter 2, section 8, have been incorporated in the grammar. Comments are included wherever we had to deviate from the syntax given in appendix E. Different symbols used here (to comply with yacc requirements) are of note:

```
(,something) is denoted ...something.. is denoted ...something.. is denoted ..something.. is denoted .something.
```

Constructs involving meta brackets, e.g., ...identifier.. are represented by a nonterminal formed by concatenating the construct symbols (as ...identifier.. in the example) for which the rules are given at the end. When reading this grammar, it is important to note that all symbols appearing in the rules are separated by one or more blanks. A string such as 'identifier\_type\_mark is actually a single nonterminal symbol defined at the end of the rules. The "symbol is used to indicate that the rest of the line is a comment, just as in yacc programs.

This grammar is presented here in a form suitable for input to a yacc parser generator. It has been processed by the Bell System III lex/yacc combination, and tested against over 400 ACVC tests.

The following files are associated with this item:

Directory: PD: <ada.external-tools></ada.external-tools>	
GRAMMAR.PRO	7366
GRAMMAR.SRC	45547
2 Files	52913

# Forms\_Generator

PD:<ADA.FORMGEN>

This subdirectory contains tools for the generation of forms for use by Ada programs. The forms generator will display and accept input into a form (in a screen-oriented fashion via the virtual terminal) in such a way that this mechanism is transparent to the Ada program using it. Instead, the program simply reads fields from the form via procedure interfaces.

Directory: PD:<ADA.FORMGEN>

FORM2.CMM	1377
FORM2.DOC	68423
FORM2.PRO	4062
FORM2.SRC	273663
FORM2.TST	44739
FORM2MAN.DOC	78596
6 Files	470860

#### Forms Generator 2

Machine/System Compiled/Run on: DEC Ada, VAX/VMS

#### Abstract:

This tool is used to seperate an application's procedural code from the code required to drive a terminal. The system will provide both an interactive and batch interface that enables an application programmer to design a screen format and save the representation in a machine readable form. The Form Executor package will provide procedural and functional interfaces that enable a program to access the output of the system and present it to a terminal. This toolset will support asynchronous ASCII terminals with single character transmission capabilities.

The following files are associated with this item:

Directory: PD:<ADA.FORMGEN>

FORM2.CMM	1377
FORM2.DOC	68423
FORM2.PRO	4062
FORM2.SRC	273663
FORM2.TST	44739
FORM2MAN.DOC	78596
	========
6 Files	470860

### General

#### PD:<ADA.GENERAL>

This is the General Information subdirectory. Notes, comments, usage information, and other data are stored here.

Directory: PD:<ADA.GENERAL>
AAREAD.ME 1238

ADAREPOS.DOC	1837
ARCHIVE.DOC	25914
ASRSUPP.DOC	1211
CHECKOUT.DOC	1846
COPY1RT.DOC	4434
COPY2RT.DOC	5777
COPY3RT.DOC	11313
COPYRITE.DOC	22887
COPYRTGNU.DOC	6547
CRC.DOC	4998
DIRLIST.DOC	10664
FINDME.DOC	3025
FLOPDIST.DOC	2887
FTP.DOC	27559
FTP1.DOC	17334
FTP2.DOC	20267
FTPADAINF.DOC	2248
FTPDIST.DOC	1069
FTPECLB.DOC	5763
INDEX.DOC	2665
KERCOMM.DOC	6974
KERFLYER.DOC	13588
KERMICRO.DOC	28992
KERMIT.DOC	16560
KEROPS.DOC	16822
KERREAD.ME	1904
LBR.DOC	952
MINDEX.TOC	20599
MLIST.DOC	2183
NAMING.DOC	1833
NEWSLTR.DOC	935
OPERATE.DOC	1606
PROLOGUE.ADA	1904
PROLOGUE.DOC	1581
READTAPE.FOR	10000
SAMPLE.PRO	2723
SUBMIT.DOC	4769
TAPEDIST.DOC	2401
USENET.DOC	2041
UUCPBIT.DOC	2457
WELCOME.DOC	37725
WELCOME.PRO	1714
43 Files	361746

# Copyright Information

These files help to explain the legal meanings of the terms "copyright" and "public domain." All software in the ASR is in the public domain and is not subject to copyright protection as such.

File Name	Purpose

COPY1RT.DOC
COPY3RT.DOC
COPY3RT.DOC
COPYRITE.DOC
COPYRTGNU.DOC
The Copyright Information
COPYRTGNU.DOC
A Lawyer's Message on the Subject
COPYRTGNU.DOC
The Copyright Associated with Richard Stallman's GNU

The following files are associated with this item:

Directory: PD: <ada.gener< th=""><th>AL&gt;</th></ada.gener<>	AL>
COPÝ1RT.DOC	4434
COPY2RT.DOC	5777
COPY3RT.DOC	11313
COPYRITE.DOC	22887
COPYRTGNU.DOC	6547
22223222233223 C	
5 Files	50958

#### FTP

These files contain information on the use of the FTP (File Transfer Protocol) facility of the DDN (Defense Data Network). FTP is used to copy files from one DDN host computer to another, and understanding of FTP is essential in order to access the files in the Ada Software Repository (ASR) through the DDN.

File Name	Purpose	11.5 1
FTP.DOC	Introductory Information	
FTP1.DOC	More Information and Examples	A
FTP2.DOC	More Information and Examples	
FTPADAINF.DOC	Accessing Ada-Info on ADA20 via FTP	
FTPECLB.DOC	Examples of Using FTP from USC-ECLB (simil	ar to ADA20)

The following files are associated with this item:

Directory: PD: <ada.gen< th=""><th>ERAL&gt;</th></ada.gen<>	ERAL>
FTP.DOC	27559
FTP1.DOC	17334
FTP2.DOC	20267
FTPADAINF.DOC	2248
FTPDIST.DOC	1069
FTPECLB.DOC	5763
=======================================	
6 Files	74240

### **Master Index Contents**

This file contains a listing of the table of contents for the Master Index to the Ada Software Repository.

The following files are associated with this item:

Directory: PD:<ADA.GENERAL>

MINDEX.TOC	20599
1 File	20599

#### **KERMIT**

These file contain information on the KERMIT file transfer protocol. KERMIT is a very robust protocol which has been recommended by the Network Information Center (NIC) of the Defense Data Network (DDN) for file transfers from DDN host computers to personal computers through the DDN. Designed by Columbia University, KERMIT is useful in moving files from your DDN host computer into your local computing environment for use at your facility (if, of course, your DDN host computer is not your local computing environment).

File Name	Purpose
KERREAD.ME	The Latest AAAREAD.ME File from CU20B
KERMIT.DOC	General Information
KERFLYER.DOC	More General Information
KERMICRO.DOC	Using KERMIT with Microcomputers
KERCOMM.DOC	Commercial Use of Kermit
KEROPS.DOC	Listing of Kermit Implementations by Operating System

The following files are associated with this item:

Directory: PD: <ada.gen< th=""><th>ERAL&gt;</th></ada.gen<>	ERAL>
KERCOMM.DOC	6974
KERFLYER.DOC	13588
KERMICRO.DOC	28992
KERMIT.DOC	16560
KEROPS.DOC	16822
KERREAD.ME	1904
	33223444
6 Files	84840

### **Operational Information**

These files contain operational information on the Ada Software Repository (ASR). This information is a useful supplement to the information contained in the files mentioned in the Welcome\_Message section.

File Name	Purpose
	-
ARCHIVE.DOC	General Overview of All Archives on SIMTEL20
CHECKOUT.DOC	Checkout Procedures (not implemented at this time)
CRC.DOC	Information on How to Compute CRC's and the Associated
	Programs
LBR.DOC	Information on LBR Files (useful when dealing with non-ASR archives)
PROLOGUE.ADA	Source to the ASR Prologue (required with all submissions)
PROLOGUE.DOC	Documentation on the ASR Prologue

The following files are associated with this item:

Directory: PD: <ada.geni< th=""><th>ERAL&gt;</th></ada.geni<>	ERAL>
ARCHIVE.DOC	25914
CHECKOUT.DOC	1846
CRC.DOC	4998
LBR.DOC	952
PROLOGUE.ADA	1904
PROLOGUE.DOC	1581
READTAPE.FOR	10000
SAMPLE.PRO	2723
SUBMIT.DOC	4769
USENET.DOC	2041
UUCPBIT.DOC	2457
11 Files	59185

### Welcome Message

The following files contain information which is of general interest to the users of the Ada Software Repository (ASR). Most of these files are components of the Welcome Message which is sent to all new subscribers of the ADA-SW electronic mailing list.

File Name	Purpose
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
AAREAD.ME	Overview of the ASR
ADAREPOS.DOC	More Overview of the ASR
DIRLIST.DOC	Listings and Brief Descriptions of All Subdirectories
FINDME.DOC	Instructions on How to Locate Items in the ASR
FTP.DOC	General Instructions on How to Use FTP (File Transfer
	Protocol)
MLIST.DOC	Brief on the ADA-SW Electronic Mailing List
OPERATE DOC	Statement of Operation
TAPEDIST.DOC	Details on the Tape Distribution Facility and How to Acquire a Tape of the ASR
WELCOME.PRO	Introduction to the Welcome Message
WELCOME.DOC	Welcome Message

Directory: PD: <ada.genera< th=""><th>L&gt;</th></ada.genera<>	L>
AAREAD.ME	1238
ADAREPOS.DOC	1837
DIRLIST.DOC	10664
FINDME.DOC	3025
FTP.DOC	27559

MLIST.DOC	2183
OPERATE.DOC	1606
TAPEDIST.DOC	2401
WELCOME.DOC	37723
WELCOME.PRO	1714
10 Files	89950

### Graphical\_Kernel\_System

PD:<ADA.GKS>

This subdirectory contains routines associated with a Graphical Kernel System.

Directory: PD: <ada.gks:< th=""><th>&gt;</th></ada.gks:<>	>
GKS.PRO	4471
GKS0A.CMM	2051
GKS0A.COM	7201
GKS0A.SRC	1156972
GKSMA.CMM	2218
GKSMA.COM	5073
GKSMA.SRC	834603
GKSUSER.DOC	252763
8 Files	2265352

# Graphic Kernel System

Machine/System Compiled/Run on: ROLM Ada, DG

#### Abstract:

The Graphic Kernel System (GKS) is a device independent software package which implements the draft GKS bindin to ANSI Ada for GKS levels Ma, Oa, 1a, 2a, Mb, Ob, 1b, Mc, and 1c. GKS/Ada will support selective visibility, independent VDI and VDM interfaces, the configuration of multiple graphic device drivers, and independent packaging of the various GKS levels.

The complete GKS will include a prototype metafile generator/driver, and a metafile interpreter. Device-dependent software must be included to drive the Lexidata color rastor device and the Summagraphics graphics tablet. Ada software to support contour processing requirements, includinggrid generation, mathematical interpolation and contour map generation needs to be developed. Also, the GKS and provides for the delivery of WIS-compatible equipment capable of high quality 35mm color slides directly from graphics displays.

Directory: PD: <ada.gks></ada.gks>	
GKS.PRO	4471
GKS0A.CMM	2051
GKS0A.COM	7201

GKS0A.SRC	1156972
GKSMA.CMM	2218
GKSMA.COM	5073
GKSMA.SRC	834603
GKSUSER.DOC	252763
8 Files	2265352

# Management\_Tools

### PD:<ADA.MANAGEMENT-TOOLS>

This subdirectory contains tools for use in managing an Ada software development project. Status tracking and Manpower estimation tools are included.

Directory: PD: <ada.man< td=""><td>NAGEMENT-TOOLS:</td></ada.man<>	NAGEMENT-TOOLS:
MANAGE.CMM	1094
MANAGE.PRO	3795
MANAGETR.DOC	25044
MANPOWER.DIS	167
MANPOWER.DOC	18973
MANPOWER.PRO	3795
MANPOWER.SRC	19412
PPLANNER.ABS	1594
PPLANNER.CMM	774
PPLANNER.DOC	144593
PPLANNER.PRO	3590
PPLANNER.SRC	394030
PPLANNER.TST	47041
PPLANSRC.DIS	178
PPLANTST.DIS	410
RT.ABS	2503
RT.CMM	627
RT.EXP	2640
RT.LIS	37874
RT.PRO	3915
RT.SRC	393200
RTGRM.LIS	37874
RTREAD.ME	3348
RTSRC.DIS	1673
RTTEST.DAT RTTEST.DIS	59084 1576
RTUSER.MAN	16393
TRACKDOC.DIS	67
TRACKER.CMM	1092
TRACKER.DOC	262297
TRACKER.INS	2924
TRACKER.INS TRACKER.PRO	2924 3795
TRACKER.SRC	456782
TRACKER.TST	436782 37240
TRACKSRC.DIS	1432
I KACKSKC.DIS	1432
35 Files	1990826

#### Cost Estimation

Machine/Compiler: Data General, ROLM ADE

#### Abstact:

The cost estimation tool uses the COCOMO model. It produces manpower and schedule estimates. The project scheduler is based on SIMPERT which is a Monte Carlo simulation and review technique. It is useful in assessing the effects of requirement changes and schedule delays, and in risk analysis. It produces critical path and schedule, the probability of completing on schedule, and Gantt chart graphics. The Input File generator allows the user to build input files for COCOMO or SIMPERT, and then to modify such files.

The following files are associated with this item:

Directory: PD: <ada.man< th=""><th>NAGEMENT-TOOLS&gt;</th></ada.man<>	NAGEMENT-TOOLS>
PPLÁNNER.ABS	1594
PPLANNER.CMM	774
PPLANNER.DOC	144593
PPLANNER.PRO	3590
PPLANNER.SRC	394030
PPLANNER.TST	47041
PPLANSRC.DIS	178
PPLANTST.DIS	410
8 Files	592210

### General Management

Machine/System Compiled/Run on: DEC Ada, VAX/VMS

#### Abstract:

The TRACKR program tracks the progress within projects and generates reports, estimates time to complete a project, and estimates project requirements. INPREP builds the data file for TRACKR interactively and outputs error messages for invalid data. The MANPOWER program based on the Simple Boehm Model produces manpower loading curves for several calculated schedules based on the number of lines of code and type of system.

Directory: PD: <ada.management-tools></ada.management-tools>	
MANAGE.CMM	1094
MANAGE.PRO	3795
MANAGETR.DOC	25044
	======================================
3 Files	29933

#### Manpower

Machine/System Compiled/Run on: DEC Ada, VAX/VMS

#### Abstract:

The TRACKR program tracks the progress within projects and generates reports, estimates time to complete a project, and estimates project requirements. INPREP builds the data file for TRACKR interactively and outputs error messages for invalid data. The MANPOWER program based on the Simple Boehm Model produces manpower loading curves for several calculated schedules based on the number of lines of code and type of system.

The following files are associated with this item:

Directory: PD: <ada.management-tools></ada.management-tools>	
MAŇPOWER.DIS	167
MANPOWER.DOC	18973
MANPOWER.PRO	3795
MANPOWER.SRC	19412
	######################################
4 Files	42347

### Requirements\_Tracker

Machine/System Compiled/Run on: Dec Ada / VMS

#### Abstract:

This tool is used to trace routines and declarations in the source code back to specific paragraphs in a requirements document. For each requirement referenced in a source file, the output listing shows what program units reference that requirement. An intermediate file containing the pairs (location in code, reference cited) can be saved for use in subsequent invocations. When used in this way, the output report can show requirements traced to more than one source file.

Directory: PD: <ada.management-tools></ada.management-tools>	
RT.ÅBS	2503
RT.CMM	627
RT.EXP	2640
RT.LIS	37874
RT.PRO	3915
RT.SRC	393200
RTGRM.LIS	37874
RTREAD.ME	3348
RTSRC.DIS	1673
RTTEST.DAT	59084
RTTEST.DIS	1576
RTUSER.MAN	16393
12 Files	560707

Directory: PD: <ada.components></ada.components>	
NEWABS.DIS	2768
NEWABS.PRO	3319
NEWABS.SRC	659811
==============	========
3 Files	665898

### **Project Tracking**

Machine/System Compiled/Run on: DEC Ada, VAX/VMS

### Abstract:

The TRACKR program tracks the progress within projects and generates reports, estimates time to complete a project, and estimates project requirements. INPREP builds the data file for TRACKR interactively and outputs error messages for invalid data. The MANPOWER program based on the Simple Boehm Model produces manpower loading curves for several calculated schedules based on the number of lines of code and type of system.

The following files are associated with this item:

Directory: PD: <ada.management-tools></ada.management-tools>	
TRACKDOC.DIS	67
TRACKER.CMM	1092
TRACKER.DOC	262297
TRACKER.INS	2924
TRACKER.PRO	3795
TRACKER.SRC	456782
TRACKER.TST	37240
TRACKSRC.DIS	1432
=======================================	3322 <b>2222</b>
8 Files	765629

### Math Library

#### PD:<ADA.MATH>

This subdirectory contains packages of math routines. All routines are written in Ada. Routines for trig functions, exponential functions, matrix manipulation, bit manipulation, and others are contained here.

Directory: PD: <ada.math></ada.math>	
BIT.ÁDA	9918
BIT.PRO	3181
CODYWAITE.CMM	572
CODYWAITE.DOC	13104
CODYWAITE.PRO	2504
CODYWAITE.SRC	77400
CODYWAITE.TST	106938
DATE.CMM	179

DATE.PRO DATE.SRC	3380 52159
GSET.ADA	7144
GSET.PRO	3321
KALINSTAL.DOC	33085
KALMAN.CMM	568
KALMAN.DIS	117
KALMAN.PRO	3628
KALMAN.SRC	441244
KALTEST.DAT	21447
KALTEST.DIS	44
KALV1.DIS	113
KALV1.DOC	584614
KALV2.DIS	56
KALV2.DOC	655958
LOGICAL.ADA LOGICAL.CMM	8581
LOGICAL.CMM	289
LOGICAL.PRO	2992
M36.ABS	2748
M36.CMM	565
M36.DEL M36.DOC	3988 228759
M36.PRO	4998
M36.SRC	244196
M36DOC.DIS	101
M36PRGRPT.DIS	168
M36REN.SUB	363
M36SRC.DIS	152
M36TEST.DIS	184
M36TEST.SRC	81784
MATHFUN.CMM	171
MATHFUN.DAT	11013
MATHFUN.PRO	2887
MATHFUN.SRC	28563
MATRIX.ADA	17612
MATRIX.PRO	2698
MLIB.CMM	572
MLIB.PRO	3167
MLIB2.CMM	1212
MLIB2.PRO	4574
MLIB2.SRC	47299
MLIBDEC.ADA	53520
MLIBTS.ADA	50567
51 Files	2824397

# Bit Functions

Machine/System Compiled/Run on: MV/1000, Rolm/ADE version 2.20

Abstract:

This package represents a collection of routines which allow the Ada programmer the ability of perform bit operations on objects of type INTEGER. The functions include the ability to extract/insert bit fields, shift objects left or right, and/or objects and create bit masks.

The following files are associated with this item:

# Cody-Waite Math Library

Machine/System Compiled/Run on: Rational R1000, VAX (DEC), others

#### Abstract:

A set of elementary math functions (generic on digits <>) corresponding to the FORTRAN intrinsic functions. The implementation of the body uses the truncated polynominals method of Cody and Waite. This is a set of easily understood code ment to be machine independent. They are not particularly fast. They could be optimized for particular machines. A fairly extensive set of test procedures are also provided.

The available functions and constants are:

Pi : constant := 3.14159\_26535\_89793\_23846\_26433\_83279\_50288\_41972; E : constant := 2.71828\_18284\_59045\_23536\_02874\_71352\_66249\_77572; Log\_Of\_2 : constant := 0.69314\_71805\_59945\_30941\_72321\_24158\_17656\_80755; Log\_Of\_10 : constant := 2.30258\_50929\_94045\_68401\_77914\_54684\_36420\_76011;

function Sign (X, Y: Floating) return Floating;

-- Returns the value of X with the sign of Y

function Max (X, Y: Floating) return Floating;

-- Returns the algebraicly larger of X and Y function Min (X, Y: Floating) return Floating;

-- Returns the algebraicly smaller of X and Y

function Truncate (X: Floating) return Floating;

- -- Returns the floating value of the integer no larger than X
- -- Truncates toward zero

function Round (X: Floating) return Floating;

-- Returns the floating value of the integer nearest X

procedure Set\_Ran\_Key (K: in Floating := Floating (0.0));

-- Can reset the random number generator

function Ran return Floating;

-- A random number between zero and one

function Sqrt (X: Floating) return Floating; function Cbrt (X: Floating) return Floating;

function Log (X: Floating) return Floating; function Log10 (X: Floating) return Floating; function Exp (X: Floating) return Floating; function "\*\*" (X, Y: Floating) return Floating;

function Sin (X: Floating) return Floating; function Cos (X: Floating) return Floating; function Tan (X: Floating) return Floating; function Cot (X: Floating) return Floating;

function Asin (X: Floating) return Floating; function Acos (X: Floating) return Floating; function Atan (X: Floating) return Floating; function Atan2 (V, U: Floating) return Floating;

function Sinh (X: Floating) return Floating; function Cosh (X: Floating) return Floating; function Tanh (X: Floating) return Floating;

The following files are associated with this item:

Directory: PD: <ada.math< th=""><th><b>5</b></th><th></th><th>ŧ.</th></ada.math<>	<b>5</b>		ŧ.
CODYWAITE.CMM		en de la companya de	
CODYWAITE.DOC	13104		
CODYWAITE.PRO	2504		
CODYWAITE.SRC	77400		
CODYWAITE.TST	106938		
=======================================			
5 Files	200518	s and amount of the second of	

#### Date

Machine/System Compiled/Run on: DEC VAX 11/750, DEC Ada v1.3

## Abstract:

This generic package provides arithmetic and logical operations for dates. It strongly parallels the required CALENDAR package, but differs primarily in the range of dates handled. Like CALENDAR, routines such as SPLIT, MONTH, DAY, and YEAR are available.

The differences between this package and CALENDAR are reflected in the range of dates, the inclusion of a DAY\_NAME function, and the ability to specify a date with a year and an annual Julian day number \*. A day is the smallest unit of time in this package.

An important feature is the ability to subtract dates over the full range of years. Thus, you can for example, calculate the number of days between 10/15/1986 and 1/1/1988. Another important feature is the ability to add (or subtract) x number of days from a date and obtain a date x days in the future (or past).

The following files are associated with this item:

Directory: PD:<ADA.MATH>

DATE.CMM	179
DATE.PRO	3380
DATE.SRC	52159
	========
3 Files	55718

# Set Manipulation

Machine/System Compiled/Run on: DG MV 10000 with ROLM ADE

DEC VAX 11/780 with DEC Ada

## Abstract:

Set\_Package contains a series of generic routines which can be instantiated to create routines which provide a series of set manipulation functions for sets of enumeration or numeric objects. The functions in Set\_Package include:

set intersection set union set membership set element count

#### and others

The following files are associated with this item:

Directory: PD: <ada.mat< th=""><th>:H&gt;</th></ada.mat<>	:H>
GSEŤ.ADA	7144
GSET.PRO	3321
	=======
2 Files	10465

# Kalman Filter Tracking

Machine/System Compiled/Run on: DEC Ada / VMS

#### Abstract:

This tool will consist of a Kalman Filter, a simple track-plot correlation model, an accounting procedure which handles track maintenance details, and an output procedure. The filter will be callable from outside the package as well as internally.

Directory: PD: <ada.math></ada.math>	
KALÍNSTAL.DOC	33085
KALMAN.CMM	568
KALMAN.DIS	117
KALMAN.PRO	3628
KALMAN.SRC	441244
KALTEST.DAT	21447
KALTEST.DIS	44
KALV1.DIS	113

KALV1.DOC	584614
KALV2.DIS	56
KALV2.DOC	655958
-36545454555	========
11 Files	1740874

# Logical Operations

Machine/System Compiled/Run on: CCUR\_3200MPS, C3-Ada R00-00

### Abstract:

This package provides logical operations such as AND, OR, XOR, NOT, SHIFT, ROTATE, on operands of type INTEGER. It is portable to any two's complement machine.

The following files are associated with this item:

Directory: PD: <ada.ma7< th=""><th>TH&gt;</th></ada.ma7<>	TH>
LOGÍCAL.ADA	8581
LOGICAL.CMM	289
LOGICAL.PRO	2992
**********	========
3 Files	11862

#### Machine Arithmetic

Machine/System Compiled/Run on: VAX/VMS TeleSoft

#### Abstract:

The purpose of this package is to emulate 36 bit machine host arithmetic on a 32 bit host machine. This package will provide support for 36 bit integer, real, and double precision real numbers in the form of the standard predefined arithmetic operations. The ranges of the supported types are as follows:

```
Integer
range of -2**35 to 2**35-1
Real
range of 10**-38 to 10**38 and 0
mantissa => 27 bit binary fraction
exponent => -128 to 127
Double Precision Real
range of 10**-38 to 10**38 and 0
mantissa => 63 bit binary fraction
exponent => -128 to 127
```

Any errors which occur during use of the arithmetic exception declaration in the package specification can be changed to a rename of the predefined exception "NUMERIC\_ERROR" for programs needing to handle arithmetic errors in a general fashion. Conversion functions are provided to assist in programming mixed operand (32 and 36 bit) arithmetic, and to facilitate IO. These functions should be renamed if they

will be used extensively so that the impact of the readability of a program's arithmetic expressions is minimized. The underlying arithmetic will be performed in twos complement arithmetic.

The following files are associated with this item:

Directory: PD: <ada.mati< th=""><th>H&gt;</th></ada.mati<>	H>
M36.ABS	2748
M36.CMM	565
M36.DEL	3988
M36.DOC	228759
M36.PRO	4998
M36.SRC	244196
M36DOC.DIS	101
M36PRGRPT.DIS	168
M36REN.SUB	363
M36SRC.DIS	152
M36TEST.DIS	184
M36TEST.SRC	81784
======================================	568006

# Math\_Functions

Machine/System Compiled/Run on: VAX 11/780, VMS 4.4, DEC Ada

#### Abstract:

MATHFUN - Selected math functions for integer and floating point math. Functions for one- and two-dimensional arrays are included.

MATHFUN.SRC -- This file contains math functions and array functions programs with test programs. The programs include:

- 1) MATHGENI -- generic package of integer math functions
- 2) MATHGENF -- generic package of floating point math functions
  3) MATHFUNG -- generic package of three component types

- 4) ARRAYFG1 -- generic package of one dimensional array functions (vectors) 5) ARRAYFG2 -- generic package of two dimensional array functions (matrices)
- 6) ARRAYFG -- generic package of three array component types

The following files are associated with this item:

Directory: PD: <ada.mat< th=""><th>H&gt;</th></ada.mat<>	H>
MAŤHFUN.CMM	171
MATHFUN.DAT	11013
MATHFUN.PRO	2887
MATHFUN.SRC	28563
	=======
4 Files	42634

# Matrix Manipulation

Machine/System Compiled/Run on: VMS VAX 11/780, Telesoft Ada

## Abstract:

MATRIX\_PACKAGE is a general purpose matrix package. It defines data types VECTOR and MATRIX, and contains functions to perform general matrix algebra operations. It provides for addition, subtraction, and multiplication of VECTORS, MATRICES and SCALARS. It also provides for matrix inversion and vector dot product.

The following files are associated with this item:

Directory: PD: <ada.mat< th=""><th>H&gt;</th></ada.mat<>	H>
MAŤRIX.ADA	17612
MATRIX.PRO	2698
2,555555555555	
2 Files	20310

# Math Library 1

Machine/System Compiled/Run on: Telesoft Ada (DEC VAX)
DEC Ada (DEC VAX)

DEC AGA (DEC VA

#### Abstract:

MATHLIB-TELESOFT and MATHLIB-DEC are two versions of the same mathlib. This library contains five Ada packages which provide the following math functions:

SQRT (Squ	are Root)	CBRT (Cube Root	.)
LOG (Base	E)	LOG10 (Ba	
EXP	•	**	
SIN	COS	TAN	
ASIN	ACOS	ATAN	ATAN2
SINH	COSH	TANH	

Other functions are provided as well.

The following files are associated with this item:

Directory: PD: <ada.mat< th=""><th>H&gt;</th></ada.mat<>	H>
MLIB.CMM	572
MLIB.PRO	3167
MLIBDEC.ADA	53520
MLIBTS.ADA	50567
4 Files	107826

# Math Library 2

Machine/System Compiled/Run on: Telesoft and DEC Ada, VAX/VMS

Abstract:

This package is a floating mantissa definition of a binary FLOAT. It was first used on the DEC-10 and the VAX but should work for any since the parameters are obtained by initial sizing on the actual hardware. Otherwise the parameters could be set in the spec if known. This is a preliminary package that defines the properties of the particular floating point type for which we generate the math routines.

The constants are those required by the routines described in "Software Manual for the Elementary Functions" W. Cody and W. Waite, Prentice-Hall 1980. Actually most are needed only for the test programs rather than the functions themselves. Most of these could be in the form of attributes if all the floating types to be considered were those built into the compiler, but we also want to be able to support user defined types such as software floating types of greater precision than the hardware affords, or types defined on one machine to simulate another.

The following files are associated with this item:

Directory: PD: <ada.mat< th=""><th>TH&gt;</th></ada.mat<>	TH>
MLIB2.CMM	1212
MLIB2.PRO	4574
MLIB2.SRC	47299
	######################################
3 Files	53085

## Menu

## PD:<ADA.MENU>

This subdirectory contains software used in the generation of menus. Applications programs may use these menu generators as front-ends.

Directory: PD: <ada.menu></ada.menu>	
MMÁN.CMM	1546
MMAN.DAT	9802
MMAN.DOC	107541
MMAN.PRO	3562
MMAN.SRC	175108
MMAN.TST	3469
MMANDAT.DIS	37
MMANDOC.ABS	2784
MMANDOC.DIS	35
MMANSRC.CO	506
MMANTST.DIS	69
MMGR.CMM	5079
MMGR.CO	928
MMGR.DOC	149510
MMGR.PRO	3910
MMGR.SRC	262235
MMGR.TST	12750
MMGRABS.CO	622
MMGRDEMO.CO	304
MMGRDEMO.DOC	3020
MMGRNOTES.ABS	236

MMGRTR.DOC	7802
222222222222	========
22 Files	750855

# Menu Manager

Machine/System Compiled/Run on: ROLM Ada, DG

#### Abstract:

This Package allows users to create and modify any display menus without requiring any modification of the Menu Manager programs. It processes menu definitions written in a menu definition language and residing in external files.

The following files are associated with this item:

Directory: PD: <ada.men< th=""><th>U&gt;</th></ada.men<>	U>
MMÅN.CMM	1546
MMAN.DAT	9802
MMAN.DOC	107541
MMAN.PRO	3562
MMAN.SRC	175108
MMAN.TST	3469
MMANDAT.DIS	37
MMANDOC.ABS	2784
MMANDOC.DIS	35
MMANSRC.CO	506
MMANTST.DIS	69
	*======
11 Files	304459

# Menu Manager 2

Machine/System Compiled/Run on: Telesoft 1.3 (unvalidated), IBM DOS

#### Abstract:

VIDEO is a menu manager package that is divided into four functional areas. It will provide application programmers with the ability to run various application systems from a menu driven user interface. Applications to be invoked via menu selections may be written in any language providing the PRAGMA INTERFACE is supported. The four functional areas are initialization of the overall application system, modeling of the application system, running the application, and diagramming the system.

The following files are associated with this item:

Directory: PD: <ada.menu></ada.menu>	
MMGR.CMM	5079
MMGR.CO	928
MMGR.DOC	149510
MMGR.PRO	3910
MMGR SRC	262235

5

MMGR.TST	12750
MMGRABS.CO	622
MMGRDEMO.CO	304
MMGRDEMO.DOC	3020
MMGRNOTES.ABS	236
MMGRTR.DOC	7802
	<b></b>
11 Files	446396

# Message Handling

#### PD:<ADA.MESSAGE-HANDLING>

This subdirectory contains tools for use in message handling facilities and message transfer.

Directory: PD: <ada.mes< th=""><th>SAGE-HANDLING&gt;</th></ada.mes<>	SAGE-HANDLING>
GMHF.CMM	1359
GMHF.DIS	60763
GMHF.PRO	3660
GMHF.SRC	519388
GMHFFD.DOC	34956
GMHFSRC.DIS	1333
GMHFTR.DOC	26322
GMHFUSER.DOC	88070
UNITREP.CMM	886
UNITREP.DOC	1799
UNITREP.PRO	3768
UNITREP.SRC	458113
=======================================	
12 Files	1200417

# Message Handler

Machine/System Compiled/Run on: Telesoft 2.1, VAX/VMS

## Abstract:

This tool may be used to edit any formatted message type that can be defined within the specified boundries of the "generic message". The tool is delivered with instances defined for several Rainform message types and one Non\_Rainform message type. Additional types may be instantiated with a recompilation.

Directory: PD: <ada.message-handling></ada.message-handling>		
1359		
60763		
3660		
519388		
34956		
1333		

GMHFTR.DOC	26322
GMHFUSER.DOC	88070
	#=======
8 Files	735851

# **UNITREP Software Model**

Machine/System Compiled/Run on: Telesoft 1.5 (unvalidated), VAX/VMS

## Abstract:

UNITREP consists of four subsystems: Message Input and Validation (MIV), Database Management (DBM), Man/Machine Interface (MMI), and Systems Utilities (SYS). DBM interfaces to an Intelligent Database Machine (IDM) back end relational database processor. The UNITREP database stores validated UNITREP messages from all organizations and units in the United States armed forces and some foreign forces under U.S. control.

The following files are associated with this item:

Directory: PD: <ada.message-handling></ada.message-handling>	
UNIŤREP.CMM	886
UNITREP.DOC	1799
UNITREP.PRO	3768
UNITREP.SRC	458113
	========
4 Files	464566

## Metrics

## PD:<ADA.METRICS>

This subdirectory contains tools used to perform metrics analysis of Ada software. Tools for path analysis, performance analysis, and other metrics reports are included.

Directory: PD: <ada.metrics></ada.metrics>		
APATH.CMM	1355	
APATH.DOC	1885	
APATH.PRO	4208	
APATHRD.ME	268	
COMPMEAS.ABS	2349	
COMPMEAS.CMM	4098	
COMPMEAS.COM	1483	
COMPMEAS.PRO	2519	
COMPMEAS.SUB	703	
HALSTEAD.CMM	3490	
HALSTEAD.CO	969	
HALSTEAD.DOC	34907	
HALSTEAD.ME	3950	
HALSTEAD.PL	2200	
HALSTEAD.PRO	2519	
HALSTEAD.SRC	1031145	

HALSTEAD.TST	30606
MCCABE.CNT	2187
MCCABE.DOC	15250
MCCABE.DSS	1864
MCCABE.DST	4720
MCCABE.GRM	38028
MCCABE.ME	4974
MCCABE.PRO	2519
MCCABE.RNO	8390
MCCABE.SRC	432177
MCCABE.TST	56485
PANAL.CMM	1333
PANAL.PRO	3446
PANALABS.DOC	1676
PANALREAD.ME	268
PERFORM.ABS	1737
PERFORM.CMM	1357
PERFORM.ME	268
PERFORM.PRO	3877
SINST.ABS	2027
SINST.CMM	1345
SINST.INS	1806
SINST.ME	268
SINST.PRO	3596
SINSTRTM.SRC	195456
SINSTTDOC.DIS	214
SINSTTOOL.DOC	251056
SINSTTOOL.SRC	1194799
SMETRIC.ABS	1908
SMETRIC.CMM	1411
SMETRIC.ME	268
SMETRIC.PRO	3716
	22/2000
48 Files	3367080

# Automatic Path Analyzer

Machine/System Compiled/Run on: DEC Ada, VAX/VMS

#### Abstract:

This tool consists of four modules. The Source Instrumenter inserts breakpoints (software probes) into Ada source programs to transfer control to execution monitor. The Execution Monitor traces paths executed and records information on execution frequency of each Ada program unit, code block and statement. The Control Program controls execution of the Ada program, allows users to execute Ada programs repetitively, and permits user input. The Report Generator provides comprehensive analysis of data collected from probes and outputs this information for each set of test parameters on frequency of path execution for each Ada program and each program unit.

The following files are associated with this item:

Directory: PD:<ADA.METRICS>

APATH.CMM	1355
APATH.DOC	1885
APATH.PRO	4208
APATHRD.ME	268
SINST.ABS	2027
SINST.CMM	1345
SINST.INS	1806
SINST.ME	268
SINST.PRO	3596
SINSTRTM.SRC	195456
SINSTTDOC.DIS	214
SINSTTOOL.DOC	251056
SINSTTOOL.SRC	1194799
=======================================	
13 Files	1658283

# Complexity Measures

Machine/System Compiled/Run on: VAX/VMS/DEC Ada

#### Abstract:

The Complexity Measures Report will analyze program units for complexity as measured by Halstead and McCabe. The program unit and its complexity will be output to the default output file. If the measured complexity exceeds a desired maximum complexity, the program unit is flagged on the output listing.

Directory: PD: <ada.metrics< th=""><th>&gt;</th></ada.metrics<>	>
COMPMEAS, ABS	2349
COMPMEAS.CMM	4098
COMPMEAS.COM	1483
COMPMEAS.PRO	2519
COMPMEAS.SUB	703
HALSTEAD.CMM	3490
HALSTEAD.CO	969
HALSTEAD.DOC	34907
HALSTEAD.ME	3950
HALSTEAD.PL	2200
HALSTEAD.PRO	2519
HALSTEAD.SRC	1031145
HALSTEAD.TST	30606
MCCABE.CNT	2187
MCCABE.DOC	15250
MCCABE.DSS	1864
MCCABE.DST	4720
MCCABE.GRM	38028
MCCABE.ME	4974
MCCABE.PRO	2519
MCCABE.RNO	8390
MCCABE.SRC	432177
MCCABE.TST	56485

1687532
MPONENTS>
2263
2657
3334
572620
========

# Path Analyzer

Machine/System Compiled/Run on: DEC Ada, VAX/VMS

## Abstract:

This tool will produce a report on the frequency of execution of paths in an Ada program. The number of executions of each path will be reported.

The following files are associated with this item:

Directory: PD: <ada.met< th=""><th>RICS&gt;</th></ada.met<>	RICS>
PANAL.CMM	1333
PANAL.PRO	1676
PANALREAD.ME	268
SINST.ABS	2027
SINST.CMM	1345
SINST.INS	1806
SINST.ME	268
SINST.PRO	3596
SINSTRTM.SRC	195456
SINSTTDOC.DIS	214
SINSTTOOL.DOC	251056
SINSTTOOL.SRC	1194799
13 Files	1657290

# Ada Performance Analyzer

Machine/System Compiled/Run on: DEC Ada, VAX/VMS

#### Abstract:

This tool measures system timing to identify those subprograms which require a high percentage of total execution time. Two modules comprise the tool. The execution monitor records information on timing and frequency of execution of each Ada program unit. The report generator provides execution time statistics for each program unit including maximum, minimum and average execution times, and percentage of total execution time.

Directory: PD: <ada.met< th=""><th>RICS&gt;</th></ada.met<>	RICS>
PERFORM.ABS	1737
PERFORM.CMM	1357
PERFORM.ME	268
PERFORM.PRO	3877
SINST.ABS	2027
SINST.CMM	1345
SINST.INS	1806
SINST.ME	268
SINST.PRO	3596
SINSTRTM.SRC	195456
SINSTTDOC.DIS	214
SINSTTOOL.DOC	251056
SINSTTOOL.SRC	1194799
13 Files	1657806

#### Source Instrumenter

Machine/System Compiled/Run on: DEC Ada, VAX/VMS

#### Abstract:

This tool inserts breakpoints in Ada source code. These "software hooks" will be used to trace the execution of an Ada program. Normally, hooks will be placed at entry/exit and decision points. A user option allows for breakpoints at every statement.

The following files are associated with this item:

Directory: PD: <ada.met< th=""><th>RICS&gt;</th></ada.met<>	RICS>
SINŚT.ABS	2027
SINST.CMM	1345
SINST.INS	1806
SINST.ME	268
SINST.PRO	3596
SINSTRTM.SRC	195456
SINSTTDOC.DIS	214
SINSTTOOL.DOC	251056
SINSTTOOL.SRC	1194799
2222222222	
9 Files	1650567

# Self Metric Analysis

Machine/System Compiled/Run on: DEC Ada, VAX/VMS

#### Abstract:

This tool instruments Ada source code for measurement and analysis of program timing, loop execution counts, state of control variables at decision points, the maximum,

minimum and average value of selected variables. The tool consists of a source instrumentation module, execution monitor and a report generator.

The following files are associated with this item:

Directory: PD: <ada.meti< th=""><th>RICS&gt;</th></ada.meti<>	RICS>
SMETRIC.ABS	1908
SMETRIC.CMM	1411
SMETRIC.ME	268
SMETRIC.PRO	3716
SINST.ABS	2027
SINST.CMM	1345
SINST.INS	1806
SINST.ME	268
SINST.PRO	3596
SINSTRTM.SRC	195456
SINSTTDOC.DIS	214
SINSTTOOL.DOC	251056
SINSTTOOL.SRC	1194799
	1//2020
13 Files	1657870

# $Miscellaneous\_Tools$

# PD:<ADA.TOOLS>

This is the miscellaneous tools subdirectory. Sources to various tools which do not fit into the categories of the other subdirectories are placed here.

Directory: PD: <ada.tools> A970.PRO A970.SRC A970.TXT CALC.CM2 CALC.CMM CALC.PRO CALC.SRC CALCREN.SUB CALCSRC.DIS CAS.ADA CBREAK.CMM CBREAK.PRO CBREAK.SRC CBREAKREN.SUB CONSTRCT.CMM CONSTRCT.DOC CONSTRCT.PRO CONSTRCT.SRC CREATETB.DOC CREATETB.PRO CREATETB.SRC FCHECK.DOC</ada.tools>	3441 95322 632 1417 549 3616 25971 127 62 2470 581 3542 28407 90 572 31539 4184 147191 4387 4524 48345 5048
FCHECK.DOC FCHECK.PRO	5048 3791

FCHECK.SRC	20881
PRP.ABS	2297
PRP.CMM	568
PRP.DAT	56208
PRP.DOC	23028
PRP.PRO	3578
PRP.RPT	11352
PRP.SRC	636152
PRPDATA.DIS	46
PRPDEBUG.DOC	1036
PRPREN.SUB	391
PRPSRC.DIS	260
PRPTEST.DAT	11048
PRPTEST.DIS	91
WMGS.CMM	578
WMGS.MEN	11582
WMGS.PRO	3587
WMGS.SRC	304280
WMGSBP.INP	191412
WMGSCMD.FLS	8608
WMGSCMDFL.DIS	242
WMGSMATH.TST	5389
WMGSMENU.DIS	135
WMGSREAD.ME	118
WMGSSRC.DIS	451
49 Files	1717591

## A970

Machine/System Compiled/Run on: DG MV 10000 (ROLM ADE)
DEC VAX 11/785 (DEC Ada)

## Abstract:

The purpose of PROG970 is to program the TVI 970 terminal from a file, setting a variety of its features. These features include the following:

- o User Message Line
- o Function Keys
- o Cursor Type
- o Key Click
- o 25th Line Display
- o Answerback Sequence
- o Programmable Keys
- o Personal Messages
- o Other User-Definable Char Sequences

The following files are associated with this item:

A970.TXT	632
3 Files	99395

### Calculator Functions

Machine/System Compiled/Run on: WICAT/ROS TeleSoft

# Abstract:

This tool provides an on-line calculator function. It is set up to handle only integers at the present time. One-letter variables may be defined and used. The parser for expressions was generated by LR on the VAX. Expressions are terminated by a semi-colon. The program normally terminates with a CTRL-B. Error handling is non-existent at this time, so syntactic errors will also cause the program to exit.

The following files are associated with this item:

Directory: PD: <ada.too< th=""><th>LS&gt;</th></ada.too<>	LS>
CALC.CM2	1417
CALC.CMM	549
CALC.PRO	3616
CALC.SRC	25971
CALCREN.SUB	127
CALCSRC.DIS	62
=======================================	========
6 Files	31742

### CAS

Machine/System Compiled/Run on: DEC Ada, VAX/VMS

#### Abstract:

This function calculates the "STATEMENTS" of a valid Ada fragment specified by a FILE\_NAME string parameter. It need not be a complete compilation unit but it should have closed all open parentheses and string brackets. The number of STATEMENTS of code is returned as an INTEGER.

The Ada statement is defined by a semicolon terminator outside of comments, parentheses, or string or character literals. This definition is insensitive to formatting or layout of the source.

There are exotic cases for which this will misestimate the count but we have never encountered one in real code.

This copy of the function is embedded in a test and driver program. Running the program on its own source file should give The driver has an additional feature of correcting for the common error of leaving out the extension on a file name. The nature of this extension is system dependent and a ".TXT" is used.

Directory: PD: <ada.too< th=""><th>LS&gt;</th></ada.too<>	LS>
CAS.ADA	8465
CAS.PRO	2470
23335555555	========
2 Files	10935

## Combine and Break

Machine/System Compiled/Run on: WICAT/ROS TeleSoft

#### Abstract:

These tools are user to combine separate files into a single file, and to break single files into separate files. The code works on file banners which immediately precede each file. These tools normally are used to "break" a single source code file into the compilable subunits of the file. "Combine" is used to append all of the subunits into one file.

The following files are associated with this item:

Directory: PD: <ada.too< th=""><th>LS&gt;</th></ada.too<>	LS>
CBRÉAK.CMM	581
CBREAK.PRO	3542
CBREAK.SRC	28407
CBREAKREN.SUB	90
	=======
4 Files	32620

# CONSTRUCT and CREATE\_CO

Machine/System Compiled/Run on: Intellimac 7000M

UNIX

Telesoft unvalidated

#### Abstract:

The function of Construct is to perform the minimal number of system commands to bring a project up to date given that changes to project files have occurred. If a project is already up to date, Construct will indicate this and no commands will be performed. Construct can also be used to supply descriptive information in the form of dependency graphs and name lists of project files.

Create\_CO reads a set of Ada source code files and creates a configuration object which describes the dependencies that exist among the files. The configuration object is formatted so that it may be read by Construct. In determining dependencies, Create\_CO observes the filenaming conventions of the TeleSoft Ada compiler (i.e., filename extensions of .text, .sym, .code) and the compiler's language restriction that specifications and bodies of Ada packages reside in the same file.

Directory: PD: <ada.tool< th=""><th>LS&gt;</th></ada.tool<>	LS>
CONSTRCT.CMM	572
CONSTRCT.DOC	31539
CONSTRCT.PRO	4184
CONSTRCT.SRC	147191
4 Files	183486

# CREATE\_TB

Machine/System Compiled/Run on: Intellimac 7000M

UNIX

Telesoft unvalidated

#### Abstract:

CREATE\_TB scans text files and creates a table by selecting specified line entries. The text files are assumed to contain standardized entries which are repeated in each file. CREATE\_TB extracts a subset of these entries compressing their text into a specified column width for printing in a tabular form. The entries to be extracted and the width of each column may be specified by the user for each table. CREATE\_TB will scan a group of files identified by a UNIX file pattern(including \*, ?, or selectors [aeiou]) and it also recognizes PAGE headers of the form:

:::::::::		::;:::::: <u>;</u> :;
<b>FILENAME</b>	or	FILENAME
::::::::::		:::::::::::

as file separators.

The following files are associated with this item:

Directory: PD:<ADA.TOOLS>

CREATETB.DOC	4387
CREATETB.PRO	4524
CREATETB.SRC	48345
	*======
3 Files	57256

#### File Checker

Machine/System Compiled/Run on: DG MV 10000, ROLM ADE

DEC VAX 11/780, DEC Ada

### Abstract:

FILE\_CHECKER uses CAS3 to count the number of Ada statements (terminated by semicolons), the number of lines of code, and a checksum of the non-space (excludes tabs, CR, LF, FF, HT, and spaces) characters in a group of files.

FILE\_CHECKER asks for one file name after another; the user terminates his input by striking RETURN to the file name prompt. FILE\_CHECKER then gives a summary

report of this data on all files listed. Include files may be specified along with other file names.

Ada components used by FILE\_CHECKER include GENERIC\_LIST and CAS3. CHARACTER\_SET is used by CAS3. All are in the Ada Repository in the COMPONENTS subdirectory.

The following files are associated with this item:

Directory: PD: <ada.tools></ada.tools>			
FCHECK.DOC	5048		
FCHECK.PRO	3791	-	Taragona en egono en esperanto
FCHECK.SRC	20881	-	
=======================================	======		
3 Files	29720		

# Propagation Prediction (for Radio)

Machine/System Compiled/Run on: /TeleSoft 1.5

Abstract: PROP\_LINK is an interactive program to evaluate the signal performance and noise of a set of RF propagation links. The program allows the user to input transmission and receiver data for up to 300 nodes, each with up to 15 transmitters and 15 receivers. RF propagation routines will be based on the SIMSTAR RF propagation capabilities.

The following files are associated with this item:

Directory: PD: <ada.tool< th=""><th>.S&gt;</th></ada.tool<>	.S>
PRP.ABS	2297
PRP.CMM	568
PRP.DAT	56208
PRP.DOC	23028
PRP.PRO	3578
PRP.RPT	11352
PRP.SRC	636152
PRPDATA.DIS	46
PRPDEBUG.DOC	1036
PRPREN.SUB	391
PRPSRC.DIS	260
PRPTEST.DAT	11048
PRPTEST.DIS	91
13 Files	746055

# Map Generator

Machine/System Compiled/Run on: TeleSoft 2.1 / VMS

Abstract:

Inputs from operator will define map details, define and label fixed points; optional inputs will define three-dimensional display. Generator allows views of the earth from different projections, incorporates zoom capability, displays specified areas of interest.

The following files are associated with this item:

Directory: PD: <ada.tool< th=""><th>.S&gt;</th></ada.tool<>	.S>
WMGS.CMM	578
WMGS.MEN	11582
WMGS.PRO	3587
WMGS.SRC	304280
WMGSBP.INP	191412
WMGSCMD.FLS	8608
WMGSCMDFL.DIS	242
WMGSMATH.TST	5389
WMGSMENU.DIS	135
WMGSREAD.ME	118
WMGSSRC.DIS	451
11 Files	526382

## **Newsletters**

# PD:<ADA.NEWS>

This subdirectory contains the Ada Software Repository (ASR) Newsletters. They are numbered sequentially, starting at 001. File names are ASRnnn.DOC.

ASR010.DOC 54778 ASR011.DOC 96746 ASR012.DOC 82467 ASR012.SUP 114576 SNAP01.DOC 3754 SNAP02.DOC 10523 SNAP03.DOC 12600 ===================================	Directory: PD: <ada.new aic42.doc="" aic43.doc="" aic44.doc="" asr001.doc="" asr002.doc="" asr003.doc="" asr004.doc="" asr005.doc="" asr006.doc="" asr007.doc="" asr008.doc<="" th=""><th>31301 41422 32581 30356 33850 32418 29401 36056 15779 15591 52902</th></ada.new>	31301 41422 32581 30356 33850 32418 29401 36056 15779 15591 52902
ASR010.DOC 54778 ASR011.DOC 96746 ASR012.DOC 82467 ASR012.SUP 114576 SNAP01.DOC 3754 SNAP02.DOC 10523 SNAP03.DOC 12600		IIII
ASR011.DOC 96746 ASR012.DOC 82467 ASR012.SUP 114576 SNAP01.DOC 3754 SNAP02.DOC 10523 SNAP03.DOC 12600		
ASR012.SUP 114576 SNAP01.DOC 3754 SNAP02.DOC 10523 SNAP03.DOC 12600		
SNAP01.DOC       3754         SNAP02.DOC       10523         SNAP03.DOC       12600         ====================================	ASR012.DOC	82467
SNAP02.DOC 10523 SNAP03.DOC 12600		771211
SNAP03.DOC 12600	SNAP01.DOC	
=======================================	SNAP02.DOC	7.57.22
19 Files 740254	SNAP03.DOC	12600
	19 Files	740254

# AIC Newsletters

The following files are Newsletters put out by the Ada Information Clearinghouse. They are recommended reading.

The following files are associated with this item:

Directory: PD: <ada.new< th=""><th>/S&gt;</th></ada.new<>	/S>
AIC42.DOC	31301
AIC43.DOC	41422
AIC44.DOC	32581
	========
3 Files	105304

## ASR Newsletters

The following files are Newsletters on the Ada Software Repository and associated activities. They are packed with useful information an are recommended reading for all users of the Ada Software Repository.

These newsletters may be obtained from the PD:<ADA.NEWS> subdirectory of the ASR or users may subscribe to have them delivered by conventional mail (for a minor fee). One newsletter is issued each month. In order to subscribe for mail delivery of the newsletters, write or telephone Echelon:

Echelon, Inc. 885 N. San Antonio Road Los Altos, CA 94022 415/948-3820

Echelon can provide details on the current price for a year's subscription.

The following files are associated with this item:

Directory: PD: <ada.new< th=""><th>S&gt;</th></ada.new<>	S>
ASRÓ01.DOC	30356
ASR002.DOC	33850
ASR003.DOC	32418
ASR004.DOC	29401
ASR005.DOC	36056
ASR006.DOC	15779
ASR007.DOC	15591
ASR008.DOC	13153
ASR009.DOC	52902
ASR010.DOC	54778
ASR011.DOC	96746
ASR012.DOC	82467
ASR012.SUP	114576
	========
13 Files	608073

# Snapshots

These files contain snapshots of the Ada Software Repository (ASR). These snapshots list each directory in the ASR and show their sizes. The snapshots provide an overview of the ASR, provide a means to quickly find out how much is available in the various subject areas, and allow the reader to follow the growth of the ASR.

The following files are associated with this item:

Directory: PD: <ada.nev< th=""><th>VS&gt;</th></ada.nev<>	VS>
SNAP01.DOC	3754
SNAP02.DOC	10523
SNAP03.DOC	12600
	=======
3 Files	26877

# Online Documentation

## PD:<ADA.ONLINE-DOC>

This directory contains supporting files for the online documentation system of the Ada Repository.

Directory: PD: <ada.onl< th=""><th>INE-DOC&gt;</th></ada.onl<>	INE-DOC>
HELP.DAT	208744
HELP.EX	10538
HELP.EX2	8145
HELP.EX3	21666
HELP.PRO	4129
HELP.SRC	63360
	========
6 Files	316582

# **HELP System**

Machine/System Compiled/Run on: VAX 11/785 (VMS 4.2), DEC Ada

## Abstract:

The HELP System is a collection of programs which provide an interactive online documentation facility. Data for the facility is prepared as a conventional text file which is formatted in an outline form, as follows:

0 Next-Topic

The level numbers do not have to be consecutive, and the lower the level number is, the higher its entry appears in the hierarchy (level 4 elements appear before level 6). There may be as many topics at each level as desired. A line containing only a dot (.) character causes a break between screens when the help file is displayed to the user:

this line appears on one screen

this line appears on the next screen (at the top)

The HELP System consists of three programs: HELP, HELP\_BUILD, and HELP\_ANALYZE.

The HELP program is used to display information contained in a help file. information is in the form of a direct-access file created by the HELP\_BUILD program. Briefly:

> text of help file HELP\_BUILD direct-access help file HELP displays info to user

The HELP\_ANALYZE program displays the structure hierarchy of a direct access file which is created by HELP\_BUILD.

The following files are associated with this item:

Directory: PD:<ADA.ONLINE-DOC> HELP.EX 10538 HELP.EX2 8145 HELP.EX3 21666 HELP.PRO 4129 HELP.SRC 63360 5 Files 107838

## Pager

## PD:<ADA.PAGER>

This subdirectory contains tools which create and manipulated paged files. All SRC files are paged files, which are files composed of several smaller files separated by a special flag.

Directory: PD:<ADA.PAGER> PAGE.ADA

6007 PAGE.PRO 3373 PAGER.DOC 17470

PAGER.PRO	3835
PAGER.SRC	86752
UNPAGE.ADA	5618
UNPAGE.PRO	3660
	=========
7 Files	126715

# Page

Machine/System Compiled/Run on: DG MV 10000, ROLM ADE

Abstract:

PAGE creates a text file containing several other text files separated by the lines:

filename

where 'filename' is the name of the file which follows. It accepts as input the name of an output file (file to be generated) and the names of the input files, where striking a RETURN to the input file name prompt terminates the input of the list of names.

UNPAGE is the complement of PAGE, which extracts the component files from the combined file.

The following files are associated with this item:

#### Pager

Machine/System Compiled/Run on: DG MV10000, ROLM ADE DEC VAX 11/785, DEC Ada

#### Abstract:

PAGER is a tool which creates, extracts from, and scans paged files, where a paged file is a file composed of one or more files prefixed by banners. PAGER is based in concept on the UNPAGE tool submitted to the Ada Repository on SIMTEL20 by Mitre Corporation.

Paged files are convenient mechanisms for storing related files. They reduce cluttering in the directories and simplify the file transfer process (to and from the Ada Repository, for example) by requiring the user to transfer only one file in order to obtain all files pertinent to a particular project or tool. Additionally, paged files are text files which can be handled more readily than the 8-bit binary images associated with other file grouping mechanisms. Paged files may be manipulated by a text editor if necessary.

The following files are associated with this item:

Directory: PD:<ADA.PAGER>

PAGER.DOC	17470
PAGER.PRO	3835
PAGER.SRC	86752
=======================================	========
3 Files	108057

# Unpage

Machine/System Compiled/Run on: Intellimac 7000M

UNIX

Telesoft unvalidated

Abstract:

UNPAGE is a program which complements the UNIX page command. The UNIX page command can be used to combine several source files, interspersing file headers of the form:

UNPAGE reads such a file breaking the subfiles into separate files as indicated by the filename headers. UNPAGE has been enhanced to also recognize file headers which have the format of an Ada comment:

The following files are associated with this item:

Directory: PD:<ADA.PAGER>

UNPAGE.ADA	5618
UNPAGE.PRO	3660
=======================================	
2 Files	9278

## PDL

PD:<ADA.PDL>

This subdirectory contains software associated with Ada Program Design Languages and tools to support the Ada program designer. Such tools include tools for data dictionary manipulation and design analysis. There may be some overlap between this directory and software which may fall into the PDL category that is scattered among the other subdirectories.

Directory: PD: <ada.pdl> DD.CMM DD.PRO DD.SRC DDABS.DOC DDICTSRC.DIS DDICTTEST.DAT DDICTUSER.MAN DDICTUSER.RNO DDREAD.ME DOCMGR.CMM DOCMGR.CO DOCMGR.PRO DOCMGR.PRO DOCMGR.PRO DOCMGR.SRC DOCMGRRD.ME GAD.CM2 GAD.CMM GAD.PRO GAD.SRC GADABS.DOC GADCDR.MIN GADDESIGN.DOC GADEXAMPL.GPH GADHELP.HLP GADSRC.DIS GADTECH.INF</ada.pdl>	603 3792 347983 2159 1202 1729 42780 33827 4291 597 1839 213056 2970 580340 1623 2030 585 4760 1034745 3036 8994 269602 102578 43523 1615 187808
GADTECH.INF	
GADUSERS.MAN ====================================	3083382

# Data Dictionary

Machine/System Compiled/Run on: DEC Ada / VMS

# Abstract:

The data dictionary is a collection of records which contain various data on Ada declarations and programs. Tools are provided to create, edit, and extract information from the data dictionary. The format and content of each kind of entry in the data dictionary is user defineable. Associated with each type of record is a display form for use while interactively creating or updating the data dictionary entry.

Directory: PD: <ada.pdl></ada.pdl>	
DD.CMM	603
DD.PRO	3792
DD.SRC	347983
DDABS.DOC	2159
DDICTSRC.DIS	1202
DDICTTEST.DAT	1729
DDICTUSER MAN	42780

DDICTUSER.RNO	33827
DDREAD.ME	4291
9 Files	438366
Directory: PD: <ada.com< td=""><td>IPONENTS&gt;</td></ada.com<>	IPONENTS>
NEWABS.DIS	2768
NEWABS.PRO	3319
NEWABS.SRC	659811
22222222222	=======
3 Files	665898

## **Documentation Manager**

Machine/System Compiled/Run on: VAX/VMS/DEC Ada

## Abstract:

The document manager maintains a catalog of configuration items stored in the system. Configuration items may be obtained from the catalog for read-only use, or for modification. Only one modifiable copy can be checked out at a time. When a modified configuration item is returned to the library, a new version number is assigned to it, so that all versions of an item can be obtained from the catalog. Items in the catalog have attributes associated with them and items can be selected by attribute as well as by name and version number. For example, an attribute can be the name of the person who created the configuration item. One can then easily find all configuration items created by a certain person.

The following files are associated with this item:

Directory: PD: <ada.pdl:< th=""><th>&gt;</th></ada.pdl:<>	>
DOCMGR.CMM	597
DOCMGR.CO	1839
DOCMGR.DOC	213056
DOCMGR.PRO	2970
DOCMGR.SRC	580340
DOCMGRRD.ME	1623
6 Files	800425

# Graphics to PDL Aid

Machine/System Compiled/Run on: DEC Ada / VMS

#### Abstract:

The Graphic Ada Designer is a specialized tool for creating graphical Object Oriented Design Diagrams (OODDs) for Ada programs and the Program Design Language (PDL) representations associated with each OODD. The Graphic Ada Designer is principally targeted towards the interactive development of these block-like diagrams in support of the development of Ada software. In particular it is designed to support a variant of the Ada Graphic Notation developed by SYSCON from the Object Oriented Design work of

Catalog of Reusable Software Components, Page 86



Grady Booch and a presentation on graphical techniques for analysis given by Dr. R. Buhr of Carleton University (see "Software Engineering with Ada" by Grady Booch, and "System Design with Ada" by R.J.A. Buhr).

The Graphic Ada Designer requires a bit-mapped graphics terminal supporting at least a minimal display list capability. The implementation will use GKS interfaces when possible. Significant emphasis will be placed on the transportability of the applications software, with execution efficiency being a secondary consideration (i.e., when due to its device and system dependent nature).

The following files are associated with this item:

Directory: PD: <ada.pdl></ada.pdl>	•
GAD.CM2	2030
GAD.CMM	585
GAD.PRO	4760
GAD.SRC	1034745
GADABS.DOC	3036
GADCDR.MIN	8994
GADDESIGN.DOC	269602
GADEXAMPL.GPH	102578
GADHELP.HLP	43523
GADSRC.DIS	1615
GADTECH.INF	187808
GADUSERS.MAN	185315
	1044501
12 Files	1844591

## PIWG Benchmarks

PIWG is a suite of tests/benchmarks prepared by the Performance Issues Working Group of ACM SIGAda. The purpose of PIWG is to develop the benchmarks and collect and disseminate results. The PIWG tests have been under development for many years and have been run against many Ada compilers. The PIWG test suite contains over 190 files which include Whetstone (to measure processor speed), Dhrystone (to measure statement execution per unit time), and other benchmarks which test various attributes of the Ada language and their implementations under specific compilers. The PIWG tests must be customized for a particular compiler, and instructions are included to do this.

Directory: PD: <ada.piwg></ada.piwg>	
A000001.ADA	84
A000002.ADA	0
A000011.ADA	375
A000012.ADA	842
A000013.ADA	2626
A000014.ADA	725
A000015.ADA	208
A000016.ADA	2275
A000021.ADA	869
A000022.ADA	961
A000031.ADA	981
A000032.ADA	5719
A000033.ADA	5271

```
A000041.ADA
                           1414
A000042.ADA
                           1379
A000043.ADA
                           3011
A000044.ADA
                            867
A000049.ADA
                           5612
A000051.ADA
                           1144
A000052.ADA
                           1461
                           1847
A000053.ADA
A000054.ADA
                           1892
                           4142
A000055.ADA
A000091.ADA
                          14609
A000092.ADA
                          13291
A000093.ADA
                          19353
                          28430
A000094.ADA
A000098.ADA
                           2877
A000099.ADA
                           2663
                           1608
A000100.ADA
A000101.ADA
                            766
A000102.ADA
                            712
                           1834
A000103.ADA
A000104.ADA
                            289
                            797
A000105.ADA
                            323
A000106.ADA
A000107.ADA
                            464
                            993
ACOMPILE.CLI
                           1421
ACOMPILE.COM
ACOMPILE.LR1
                          47045
                           2675
C000001.ADA
                           2721
C000002.ADA
                           2387
C000003.ADA
COMPILE.CLI
                            815
COMPILE.COM
                           1235
COMPILE.L78
                          16102
COMPILE.L86
                          23081
COPY.COM
                           6450
                           2142
COPY.R10
D000001.ADA
                           2907
                           2962
D000002.ADA
D000003.ADA
                           3083
                           3201
D000004.ADA
E000001.ADA
                           2584
                           3299
E000002.ADA
E000004.ADA
                           3589
F000001.ADA
                           2190
                           2335
F000002.ADA
                           2635
G000001.ADA
G000002.ADA
                           2951
G000003.ADA
                           2424
                           2731
G000004.ADA
                           2443
G000005.ADA
                           2590
G000006.ADA
                           2259
G000007.ADA
GETPIWG.SUB
                           3714
L000001.ADA
                           7801
```

L000002.ADA	7858
L000003.ADA	7893
P000001.ADA	1916
P000002.ADA	2267
P000003.ADA	2408
P000004.ADA	2505
P000005.ADA	2446
	2482
P000006.ADA	
P000007.ADA	2478
P000010.ADA	2919
P000011.ADA	3585
P000012.ADA	2952
P000013.ADA	3278
PIWG.DOC	14507
PIWG.PRO	3350
PIWG83186.CMM	424
READ.ME	8987
T000001.ADA	2322
T000002.ADA	2425
T000003.ADA	2993
T000004.ADA	2864
T000005.ADA	4661
T000006.ADA	3866
T000007.ADA	2507
_ ,	
TAPE.LOG	6797
TAPEDIST.LTR	5198
WCOMPILE.COM	2535
Z000001.ADA	3151
Z000003.ADA	5288
Z000004.ADA	12997
Z000005.ADA	11752
Z000006.ADA	6205
Z000007.ADA	1523
Z000008.ADA	13584
Z000009.ADA	12980
Z000010.ADA	6114
	_
Z000011.ADA	14769
Z000012.ADA	21034
Z000013.ADA	8106
Z000014.ADA	11251
Z000015.ADA	2349
	7843
Z000016.ADA	
Z000016A.ADA	13704
Z000017.ADA	8012
Z000017A.ADA	13305
Z000018.ADA	2089
Z000020.ADA	6307
Z000021.ADA	12642
Z000022.ADA	1603
Z000023.ADA	2771
Z000110.ADA	120
Z000111.ADA	1312
Z000111.COM	2536
Z000111D.CLI	2170

Z000111D.COM	4307
Z000112.ADA	2652
Z000113.ADA	6672
Z000114.ADA	13373
Z00011D.L86	10607
Z000121.ADA	2943
Z000122.ADA	6043
Z000123.ADA	15343
Z000124.ADA	30845
Z000131.ADA	1137
Z000132.ADA	2398
Z000133.ADA	6178
Z000134.ADA	12480
Z000141.ADA	5032
Z000142.ADA	10332
Z000143.ADA	26232
Z000151.ADA	6124
Z000152.ADA	12524
Z000153.ADA	31724
Z000161.ADA	5839
Z000162.ADA	11839
Z000171.ADA	5083
Z000172.ADA	10183
Z000173.ADA	25483
Z000181.ADA	1162
Z000182.ADA	2322
Z000183.ADA	5802
Z000184.ADA	11606
Z000191.ADA	4807
Z000192.ADA	9707
Z000193.ADA	24407
Z000201.ADA	2151
Z000202.ADA	4351
Z000203.ADA	10951
Z000211.ADA	3451
Z000212.ADA	6951
Z000213.ADA	17451
Z000221 ADA	722
Z000222.ADA	1742
Z000223.ADA	3444
Z000224.ADA	7044
Z000231.ADA	1446
Z000232.ADA	2886
Z000233.ADA	7206
Z000234.ADA	14412
Z000241.ADA	740
Z000242.ADA	1460
Z000243.ADA	3620
Z000244.ADA	7223
Z000254.ADA	8666
Z000264.ADA	6867
Z000274.ADA	21964
Z000281.ADA	241
Z000282.ADA	491
	• • • • • • • • • • • • • • • • • • • •

Z000283.ADA	1241
Z000284.ADA	2492
Z000291.ADA	542
Z000292.ADA	1102
Z000293.ADA	2782
Z000294.ADA	5584
Z000295.ADA	11384
Z000301.ADA	1157
Z000302.ADA	2367
Z000303.ADA	5997
Z000304.ADA	12050
Z000311.ADA	321
Z000312.ADA	651
Z000313.ADA	1641
Z000314.ADA	3292
Z000315.ADA	6692
ZCOMPILE.CLI	590
ZCOMPILE.COM	1177
ZCOMPILE.ICC	514
ZCOMPILE.L86	2449
=======================================	=========
196 Files	1133191

## PIWG Benchmarks

Unit name : PIWG Benchmarks Version : TAPE 8 31 86

Author: ACM SIGAda Performance Issues Working Group (PIWG)

Machine/System Compiled/Run on: Numerous

PIWG is a suite of tests/benchmarks prepared by the Performance Issues Working Group of ACM SIGAda. The purpose of PIWG is to develop the benchmarks and collect and disseminate results.

The PIWG tests have been under development for many years and have been run against many Ada compilers. The PIWG test suit contains over 190 files which include Whetstone (to measure processor speed), Dhrystone (to measure statement execution per unit time), and other benchmarks which test various attributes of the Ada language and their implementations under specific compilers. The PIWG tests must be customized for a particular compiler, and instructions are included to do this.

Some of the items measured by PIWG include:

- \* task creation-related timing
- \* dynamic elaboration-related timing
- \* exception-related timing
- \* coding style-related timing
- \* TEXT\_IO-related timing
- \* loop overhead-related timing
- \* procedure call-related timing
- \* task-related timing
- \* compilation, link, and execution times

NOTE: the directory PD:<ADA.PIWG> contains each of the individual files of the PIWG Benchmark Suite, while the directory PD:<ADA.BENCHMARKS> contains the same files grouped as just a few large PAGER files.

Directory: PD: <ada.piwg></ada.piwg>	
A000001.ADA	84
A000002.ADA	0
A000011.ADA	375
A000012.ADA	842
A000013.ADA	2626
A000014.ADA	725
A000015.ADA	208
A000016.ADA	2275
A000021.ADA	869
A000022.ADA	961
A000031.ADA	981
A000032.ADA	5719
A000032.ADA A000033.ADA	5271
A000041.ADA	1414
A000042.ADA	1379
A000043.ADA	3011
A000044.ADA	867
A000049.ADA	5612
A000051.ADA	1144
A000052.ADA	1461
A000053.ADA	1847
A000054.ADA	1892
A000055.ADA	4142
A000091.ADA	14609
A000092,ADA	13291
A000093.ADA	19353
A000094.ADA	28430
A000098.ADA	2877
A000098.ADA A000099.ADA	2663
A000100.ADA	1608
A000101.ADA	766
A000102.ADA	712
A000103.ADA	1834
A000104.ADA	289
A000105.ADA	797
A000106.ADA	323
A000107.ADA	464
ACOMPILE.CLI	993
ACOMPILE.COM	1421
ACOMPILE.LR1	47045
C000001.ADA	2675
C000001.ADA	2721
	2387
C000003.ADA	
COMPILE.CLI	815
COMPILE.COM	1235
COMPILE.L78	16102
COMPILE.L86	23081

COPY.COM	6450
<del> </del>	2142
COPY.R10	
D000001.ADA	2907
D000002.ADA	2962
D000003.ADA	3083
D000004.ADA	3201
E000001.ADA	2584
E000002.ADA	3299
E000004.ADA	3589
F000001.ADA	2190
F000002.ADA	2335
G000001.ADA	2635
G000002.ADA	2951
G000003.ADA	2424
G000004.ADA	2731
G000005.ADA	2443
G000006.ADA	2590
	2259
G000007.ADA	
GETPIWG.SUB	3714
L000001.ADA	7801
L000002.ADA	7858
L000003.ADA	7893
P000001.ADA	1916
P000002.ADA	2267
P000003.ADA	2408
_ •	2505
P000004.ADA	
P000005.ADA	2446
P000006.ADA	2482
P000007.ADA	2478
P000010.ADA	2919
P000011.ADA	3585
P000012.ADA	2952
P000013.ADA	3278
PIWG.DOC	14507
PIWG.PRO	3350
	424
PIWG83186.CMM	
READ.ME	8987
T000001.ADA	2322
T000002.ADA	2425
T000003.ADA	2993
T000004.ADA	2864
T000005.ADA	4661
T000006.ADA	3866
T000007.ADA	2507
TAPE.LOG	6797
TAPEDIST.LTR	5198
WCOMPILE.COM	2535
Z000001.ADA	74
Z000002.ADA	3151
Z000003.ADA	5288
Z000004.ADA	12997
Z000005.ADA	11752
	6205
Z000006.ADA	1523
Z000007.ADA	1523

Z000008.ADA	13584
Z000009.ADA	12980
Z000010.ADA	14769
Z000012.ADA	21034
Z000013.ADA	8106
Z000014.ADA	11251
Z000015.ADA	2349
Z000016.ADA	7843
Z000016A.ADA	13704
Z000017.ADA	8012
Z000017A.ADA	13305
Z000018.ADA	2089
Z000020.ADA	6307
Z000021.ADA	12642
Z000022.ADA	1603
Z000023.ADA	2771
Z000110.ADA	120
Z000111.ADA	1312
Z000111.COM	2536
Z000111D.CLI	2170
Z000111D.COM	4307
Z000112.ADA Z000113.ADA	2652 6672
Z000113.ADA Z000114.ADA	13373
Z00011D.L86	10607
Z00011D.L80 Z000121.ADA	2943
Z000121.ADA Z000122.ADA	6043
Z000123.ADA	15343
Z000124.ADA	30845
Z000131.ADA	1137
Z000132.ADA	2398
Z000133.ADA	6178
Z000134,ADA	12480
Z000141.ADA	5032
Z000142.ADA	10332
Z000143.ADA	26232
Z000151.ADA	6124
Z000152.ADA	12524
Z000153.ADA	31724
Z000161.ADA	5839
Z000162.ADA	11839
Z000171.ADA	5083
Z000172.ADA	10183
Z000173.ADA	25483
Z000181.ADA	1162
Z000182.ADA	2322
Z000183.ADA	5802
Z000184.ADA	11606
Z000191.ADA Z000192.ADA	4807 9707
Z000192.ADA Z000193.ADA	24407
	2151
Z000201.ADA Z000202.ADA	4351
	10951
Z000203.ADA	10371

## **Pointers**

## PD:<ADA.POINTERS>

This is the pointers subdirectory. Information on other sources of software and information (such as the USC-ECLB resources) is presented here. This data pertains to both on- and off-net resources.

382

Directory: PD:<ADA.POINTERS> ACVC.DOC

## DoDD 3405.XX

These files contain messages on and the text of DoD Directive 3405.1 ("Computer Programming Language Policy") and DoD Directive 3405.2 ("Use of Ada in Weapon Systems"). DoDD 3405.1 supercedes DoDD 5000.31.

The following files are associated with this item:

Directory: PD:<ADA.POINTERS> D34051.MSG 2660

D34051.TXT	18550
D34052.MSG	1149
D34052.TXT	7494
4 Files	29853

## IEEE RP for Ada as a PDL

IEEE Recommended Practice for Ada as a Program Design Language

IEEE Std 990-1987

1.1 Scope. This document provides recommendations reflecting the state of the art and alternate approaches to good practice for characteristics of Program Design Languages (PDLs) based on the syntax and semantics of the Ada Programming Language. In this recommended practice, these are referred to as Ada PDLs.

The following files are associated with this item:

## **ADA20 Information**

INDEX TO FILES OBTAINED FROM ADA-INFO ON THE ADA20 HOST

#### FORMAT KEY:

1st Line - Ada Software Repository File Name Rest - ADA-INFO File Name, Date, and Description

## All files are in PD:<ADA.POINTERS> except when noted.

## ADA1INFO.INF

ADA-DDN.HLP 06-25-86 3187 This file contains information on how to access the Ada-Info files on the Ada20. (Point of Contact: Gil Austin)

## ADA2INFO.INF

DDN-ACCESS.HLP 06-17-86 1731 This file contains information on how to access the XXX-info files on the Ada20.

(Point of Contact: Gil Austin)

# ACVCSUITE.INF

ACVC.HLP 06-16-86 1173 This file contains information on how to obtain copies of the Ada Compiler Validation Capability (ACVC) Test Suite.

(Ada IC point of contact: Julie Davis)

ADAINF.INF

DOCU-REF.HLP 06-24-86 14411 This file contains a list of Ada related

documents, including the agency from which each document is available.

(Ada IC point of contact: Mary Armstrong)

(NOTE: includes data on validated compilers)

ADAPLANS.INF

IMPL-MAT.HLP 06-09-86 40801 This file contains a list of Ada language

implementations.

(Ada IC point of contact: Greg Kee)

(NOTE: INCLUDES PLANNED COMPILERS)

ADARBBS.INF

ADA-RBBS.HLP 06-25-86 7874 This file contains information

on how to access the Ada IC bulletin

Board at (202)694-0215.

(Ada IC point of contact: Gilbert Austin)

AJPOSTAFF.INF

AJPO-STF.HLP 06-09-86 1566 This file contains the names, addresses

and phone numbers of AJPO personnel.

(Ada IC point of contact: Greg Kee)

ALSSTAT.INF

ALS-STAT.HLP 06-09-86 5944 This file contains the latest updates on

the Ada Language System.

(Ada IC point of contact: Becky Reile)

APSEEVAL.INF

APSEEVAL.DOC This

This file contains "Generic APSE

Evaluation Questions" by Paul Dobbs of

General Dynamics for the E&V Team

ARTEWG.INF

ARTEWG-INFORMATION-ACCESS.HLP 06-25-86 2960 This file contains a

description of how to access the online files

in the ARTEWG-INFO directory.

(AdaIC POC : Gil Austin)

**BIBORDER.INF** 

ADA-BIB.HLP 06-09-86 1834 This file contains a description of the Ada

Bibliography Volumes I and II as well as

ordering information.

(Ada IC point of contact: Becky Reile)

CAISSTAT.INF

CAISUPDT.HLP 06-09-86 2527 This file contains information

regarding the current status of

the MIL-STD-CAIS.

(Ada IC point of contact: Larry Thomas)

**COMPEVAL.INF** 

COMPEVAL.DOC 09-11-84 This file contains "Evaluation Criteria for Ada Compilers" by Elizabeth Kean of RADC for the E&V Team

COMPILERS.INF

VAL-COMP.HLP 06-23-86 23809 This file contains a list of currently validated Ada compilers.

(Ada IC point of contact: Mary Armstrong)

CONTACTS.INF

CONTACTS.HLP 06-09-86 5574 This file contains a list of contacts for Ada Information.

(Ada IC point of contact: Greg Kee)

DIANA.INF

DIANA.HLP 06-09-86 2735 This file contains information on DIANA and how to obtain the DIANA reference manual.

(Ada IC contact: Sharon Guenterberg)

DODD5000.INF

DODDIREC.HLP 06-09-86 11262 This file contains a copy of DoD Directive 5000.31 which was circulated with USDRE Richard Delauer's memorandum of 6/10/83. (Ada IC point of contact: Greg Kee)

**EVINFO.INF** 

EVINFORMATION-ACCESS.HLP 06-17-86 3749 This file contains a description of the purposes of the Evaluation and Validation Task.

(point of contact: Gil Austin)

**IMPGUIDE.INF** 

IMPGUIDE.HLP 06-09-86 3919 This file contains an explanation of how to obtain the revised Ada Compiler Validation
Implementers' Guide.
(Ada IC point of contact: David Scheidt)

ISO.INF

ISO-STAT.HLP 06-09-86 8333 This file contains update and status reports on the international Standards Organization.

(Ada IC point of contact: Larry Thomas)

KAPSE.INF
KAPSE.HLP 06-09-86 1555 This file contains information on how to obtain the latest Kapse Interface

how to obtain the latest Kapse Interface
Team (KIT) Public Report.
(Ada IC point of contact: Greg Kee)

KITINFO.INF
KIT-INFORMATION-ACCESS.HLP 06-17-86 2850 This file contains information on how to access the KIT-info directory on the Ada20 computer.

(point of contact: Gil Austin)

MCCR.INF

DEF-MCCR.HLP 06-09-86 3084 This file contains contains the DOD-Wide guidelines for Acquiring Computer Resources

under the Armed Services Procurement Act. (Ada IC point of contact: Gil Austin)

NATOADA.INF

NATO-ADA.HLP 06-13-86 2227 This file contains contains information on

NATO's adaption of the Ada Language as their common HOL in military systems. (Ada IC point of contact: Greg Kee)

ST1750A.INF

1750A.HLP 06-09-86 2072 This file contains information on the

status of MIL-STD-1750A (Sixteen Bit Computer Instruction Set Architecture). (Ada IC point of contact: Becky Reile)

TRADEMARK.INF

TRADEMRK.HLP 06-09-86 9602 This file contains guidelines for using the

Ada trademark.

(Ada IC point of contact: Julie Davis)

VALFACIL.INF

VALFACIL.HLP 06-09-86 1804 This file contains a list of the Ada

Validation Facilities (AVFs) performing Ada Compiler Validation Capability tests. (Ada IC point of contact: Julie Davis)

VALIDATE.INF

VAL-POL.HLP 06-09-86 79104 This file contains the draft version

of the Ada Validation Policies and Procedures Document, distributed 2/86. (Ada IC point of contact: Mary Armstrong)

VALINFO.INF

VALIDATION-INFORMATION-ACCESS.HLP 06-17-86 2869 This file contains

information on how to access the Validation-info directory on the Ada20 computer.

(POC : Gil Austin)

PD:<ADA, EDUCATION>GLOSSARY, DOC GLOSSARY, HLP 06-09-86 25418 This file contains an alphabetical listing of Ada-related terms and their meanings.

(Ada IC point of contact: Dave Scheidt)

PD:<ADA.EDUCATION>TEXTBOOKS.BIB

TEXT-BIB.HLP 06-09-86 9163 This file contains a list of

Ada Language textbooks, arranged alphabetically by title.

(Ada IC point of contact: Rebecca Reile)

PD:<ADA.EDUCATION>TEXTBOOKS.DOC

ADABOOKS.HLP 06-09-86 86656 This file contains abstracts of many

of the Ada textbooks listed in the file

TEXT-BIB.HLP.

(Ada IC point of contact: Rebecca Reile)

PD:<ADA.NEWS>AICnnn.DOC

NEWSLTR.HLP 06-11-86 31301 This file contains the most recent issue of

the Quarterly Ada IC newsletter, currently

the MAY, 1986 issue.

(Ada IC point of contact: Larry Thomas)

The following files are associated with this item:

Directory: PD: <ada.poin< th=""><th>TERS&gt;</th></ada.poin<>	TERS>
ACVCSUITE.INF	1293
ADA1INFO.INF	3187
ADA2INFO.INF	1613
ADADOC.INF	9739
ADAINF.INF	16553
ADAPLANS.INF	55289
ADARBBS.INF	1512
ALSSTAT.INF	10954
APSEEVAL.INF	39521
ARTEWG.INF	2960
BIBORDER.INF	2529
CAISSTAT.INF	1163
COMPEVAL.INF	61019
COMPILERS.INF	69632
CONTACTS.INF	4127
DIANA.INF	2723
DODD5000.INF	11611
EVINFO.INF	3749
ISO.INF	8759
KAPSE.INF	1664
KITINFO.INF	2850
MCCR.INF	3091
NATOADA.INF	2227
ST1750A.INF	3164
TRADEMARK.INF	11770
VALFACIL.INF	1920
VALIDATE.INF	66002
VALINFO.INF	2869
	41055
29 Files	412772

# SIMTEL20 Pointer Files

The following files are in PD:<ADA.POINTERS> in the Ada Software Repository on SIMTEL20. These files are provided in addition to the INF files from ADA20.

File Name

Purpose

ACVC.DOC	Pointer to Ada Compiler Validation Facility at Wright-Patterson AFB
ADAED.DOC	Pointer to Ada/Ed data
ARMYALS.DO	C Pointer to Army ALS information source
ECLBENCH.D	OC Listing of Benchmark Files on ADA20
IBMPCADA.DO	DC Data on Ada compilers for the IBM PC's
SEI.DOC	Pointer to Software Engineering Institute information

The following files are associated with this item:

Directory: PD: <ada.poin< th=""><th>TERS&gt;</th></ada.poin<>	TERS>
ACVC.DOC	382
ADAED.DOC	1886
ARMYALS.DOC	327
ECLBENCH.DOC	3094
IBMPCADA.DOC	4660
IMPGUIDE.DOC	1289
SEI.DOC	398
7 Files	12036

# Pretty\_Printers

## PD:<ADA.PRETTY-PRINTERS>

This subdirectory contains pretty printers for Ada source programs. The pretty printers reformat the Ada source programs in order to outline the structure of the programs and provide other useful information for the programmer.

Directory: PD: <ada.pretty< th=""><th>-PRINTERS&gt;</th><th></th><th>**************************************</th></ada.pretty<>	-PRINTERS>		**************************************
ADAFMT.COM	663		
ADAFMT.DOC	628		
ADAFMT.PAS	142504		•
ADAFMT PRO	3570	± 1	· -
AFMT2.COM	703		
AFMT2.PAS	169567		
AFMT2.PRO	3837	• -:	
FORMATTER.CMM	3405	110 L =	5.55
FORMATTER.PRO	4104		
FORMATTER.SRC	149649		
	1340	reading.	and the second second
PRET.CMM			
PRET.CO	165		
PRET.DOC	73494		· ·
PRET.PRO	3677		
PRET.SRC	334770		
PRET.TST	12901		4
PRETABS.CO	622	. mar m	
PRETABS.NOT	236		
PRETDIS.DOC	100		
PRETREAD.ME	4606		
PRETTEST.DIS	150		•
PRETUPD.SRC	228450		

22 Files 1139141

# Pretty\_Printer

Ada Pretty Printing Program

Machine/System Compiled/Run on: DEC VAX 11/785, DEC Pascal

#### Abstract:

This program takes as input an Ada program and reformats the program according to a standard set of pretty printing rules. No effort is made to detect or correct syntactic errors. See the comments at the front of the program for credits, revision history, and details on the pretty printing rules and operation.

ADAFMT is the original program, extracted from NOSC-TECR with permission of Col Bill Whitaker. ADAFMT1 is a modified version which contains one minor problem: "package ... is new" constructs cause the indentation level to increase. Provided files include a short documentation file (ADAFMT.DOC) and command files (ADAFMT.COM and ADAFMT1.COM).

The following files are associated with this item:

Directory: PD: <ada.pre< th=""><th>TTY-PRINTERS&gt;</th></ada.pre<>	TTY-PRINTERS>
ADAFMT.COM	663
ADAFMT.DOC	628
ADAFMT.PAS	142504
ADAFMT.PRO	3570
	38222822
4 Files	147365

# Pretty\_Printer\_2

Machine/System Compiled/Run on: DEC VAX 11/785, DEC Pascal

#### Abstract:

This program takes as input an Ada program and reformats the program according to a standard set of pretty printing rules. No effort is made to detect or correct syntactic errors. See the comments at the front of the program for credits, revision history, and details on the pretty printing rules and operation.

ADAFMT is the original program, extracted from NOSC-TECR with permission of Col Bill Whitaker. ADAFMT1 is a modified version which contains one minor problem: "package ... is new" constructs cause the indentation level to increase. Provided files include a short documentation file (ADAFMT.DOC) and command files (ADAFMT.COM and ADAFMT1.COM). ADAFMT2 has corrected all known bugs in ADAFMT1 and has extended the completeness and functionality of the program.

Directory: PD: <ada.pre< th=""><th>TTY-PRINTERS&gt;</th></ada.pre<>	TTY-PRINTERS>
AFMT2.COM	703
AFMT2.PAS	169567
AFMT2.PRO	3837
========	=======
3 Files	174107

## Source Formatter

Machine/System Compiled/Run on: Telesoft 1.3 (unvalidated), WICAT/ROS

#### Abstract:

Package FORMATTER follows a top-down recursive decent algorithm whose theory can be found in most compiler theory books. This formatter is designed to work for only those programs that are syntactically perfect. Due to the size of the system that these programs were written on, this package had to be split in two at the last minute. Now, in package FORMAT\_2, one can find the few procedures that did not call any other procedure - those being the ones that could be moved because the compiler did not implement bodystubs or any type of "separate" capability. The package was written with a Telesoft\_Ada compiler, which followed nonANSI standard Ada.

The following files are associated with this item:

Directory: PD: <ada.pre< th=""><th>TTY-PRINTERS&gt;</th></ada.pre<>	TTY-PRINTERS>
FORMATTER.CMM	3405
FORMATTER.PRO	4104
FORMATTER.SRC	149649
=============	========
3 Files	157158

#### Source Formatter 2

Machine/System Compiled/Run on: DEC Ada, VAX/VMS

## Abstract:

The standard format of source code listed with this tool shall be the format used in the Ada LRM. Options shall allow the user to specify the number of spaces per indent level, the form for printing categories of key words and identifiers (eg, upper case, lower case, etc.), and similar parameters which can be varied without deviating from the LRM.

Directory: PD: <ada.pret< th=""><th>TY-PRINTERS:</th><th>&gt;</th><th></th><th></th><th></th></ada.pret<>	TY-PRINTERS:	>			
PREŤ.CMM	1340	## ## 1			
PRET.CO	165				
PRET.DOC	73494				
PRET.PRO	3677			 * + 1	
PRET.SRC	334770	-			
PRET.TST	622				

PRETABS.NOT PRETDIS.DOC	236 100
PRETREAD.ME	4606
PRETTEST.DIS PRETUPD.SRC	150 228450
======================================	220430
12 Files	660511

## Program\_Stubber

#### PD:<ADA.STUBBER>

This subdirectory contains Ada program body stubber tools. They analyze the definition of an Ada software design and generate software bodies as stubs to be filled in later during development.

Directory: PD: <ada.stu< th=""><th>BBER&gt;</th></ada.stu<>	BBER>
STUB2.CMM	142
STUB2.DIS	234
STUB2.PRO	5872
STUB2.SRC	128470
STUBBER.CMM	3852
STUBBER.DIS	51
STUBBER.PRO	3906
STUBBER.SRC	81309
8 Files	223836

# Body Stubber

Machine/System Compiled/Run on: Telesoft 1.3 (unvalidated), WICAT/ROS

#### Abstract:

This program reads an Ada specification and generates a corresponding Body with stubs for all subprograms. The compiler used to write these programs was a 1982 (non ANSI Standard) Ada compiler, so these packages will need to be updated before they will run on a Mil Std 1815A Ada compiler. All of the compiler peculiarities, editor dependencies, and filer dependencies have been moved to the ROS\_DEPENDENCIES package, with the exception of any peculiarities that might occur due to using 1982 nonANSI standard Ada.

The following files are associated with this item:

Directory: PD:<ADA.STUBBER>

STUB2.CMM	142
STUB2.DIS	234
STUB2.PRO	5872
STUB2.SRC	128470
STUBBER.CMM	3852
STUBBER.DIS	51
STUBBER.PRO	3906
STUBBER.SRC	81309
	********
8 Files	223836

#### Simulation

#### PD:<ADA.SIMULATION>

This subdirectory contains programs and tools associated with performing simulations, such as queuing simulations.

Directory: PD: <ada.sim< th=""><th>JLATION&gt;</th></ada.sim<>	JLATION>
QSAP.ABS	2167
OSAP.CMM	956
OSAP.DOC	135857
OSAP.PRO	4048
QSAP.SRC	336254
QSAP.TST	1549
QSAPHELP.DIS	888
QSAPHELP.FIL	26169
QSAPSRC.DIS	110
QSAPTST.DIS	66
	=========
10 Files	508064

## Queuing Simulation

Machine Compiled/Run on: Data General, ROLM ADE

#### Abstract:

This tool will simulate the statistical behavior of networks and queues, such as in communication systems, transportation and logistics. It will provide a stand-alone, single performance prediction function. It will provide useful performance prediction information to a user sizing, reconfiguring, or upgrading a system configuration. Data is provided interactively and describes a network to be modelled. This tool includes complex computational algorithms and thus is unusual among the precursors. It is predicted that 3000 FORTRAN lines will convert to 3750 Ada lines. The coordination of the Ada PDL design and the conversion of existing FORTRAN code may present difficulties.

Directory: PD: <ada.sim< th=""><th>ULATION&gt;</th></ada.sim<>	ULATION>
QSAP.ABS	2167
QSAP.CMM	956

QSAP.DOC	135857
QSAP.PRO	4048
QSAP.SRC	336254
QSAP.TST	1549
QSAPHELP.DIS	888
OSAPHELP.FIL	26169
QSAPSRC.DIS	110
QSAPTST.DIS	66
	========
10 Files	508064

## Spelling\_Checkers

## PD:<ADA.SPELLER>

This subdirectory contains spelling checkers written in Ada. Dictionaries are also included here.

Directory: PD: <ada.spel< th=""><th>LER&gt;</th></ada.spel<>	LER>
SP2ÁCRONY.DCT	29559
SP2HELP.INI	4758
SP2MASTER.DCT	393794
SPELL2.CMM	1296
SPELL2.DOC	32564
SPELL2.PRO	4121
SPELL2.SRC	766341
SPELL2.TST	127616
======================================	1360049
0 LHC2	1300047

## Speller 2

Machine/System Compiled/Run on: DEC Ada, VAX/VMS

#### Abstract:

Procedure SPELLER is an interactive spell checking utility. The "default" format shall be interactive. Options allow the user to

- \* enable auxiliary dictionary search
- \* merge two or more dictionaries together
- \* list the contents of a specified dictionary
- \* execute in batch mode
- \* generate an output file containing all suspect words
- \* disable the MASTER dictionary and or enable the ACRONYM dictionary

This procedure establishes the first level user interface. From this level the user will be able to access the HELP facility, merge two or more dictionaries, list out a dictionary and begin the spell checking process of a document.

Directory: PD: <ada.spel< th=""><th>LER&gt;</th></ada.spel<>	LER>
SP2ÁCRONY.DCT	29559
SP2HELP.INI	4758
SP2MASTER.DCT	393794
SPELL2.CMM	1296
SPELL2.DOC	32564
SPELL2.PRO	4121
SPELL2.SRC	766341
SPELL2.TST	127616
8 Files	1360049

## Starter\_Kit

## PD:<ADA.STARTER-KIT>

This subdirectory contains tools which are useful in accessing the software in the repository. It includes the PAGER tool, which is used to assemble and disassembled SRC (paged) files.

Directory: PD: <ada.sta< th=""><th>RTER-KIT&gt;</th></ada.sta<>	RTER-KIT>
HELP.PTR	353
LART.DOC	10936
LART.PRO	2694
LART.SRC	31860
PAGER.PTR	169
5 Files	46012

## Load AR Tape

Machine/System Compiled/Run on: Data General MV10000,

Rolm ADE

Keywords: Ada Repository, ANSI Standard Tapes, Automated Loading

## Abstract:

The program, Load\_AR\_Tape, and it's supporting packages, automate the process of loading the ANSI standard tape copies into a Data General MV10000. The directory structure of the Ada repository is preserved.

The following files are associated with this item:

Directory: PD: <ada.starter-kit></ada.starter-kit>	
LART.DOC	10936
LART.PRO	2694
LART.SRC	31860
	22222
3 Files	45490

# Style\_Checkers

## PD:<ADA.STYLE>

This subdirectory contains Ada style checking tools. They analyze Ada source code and report on various aspects of the programming style, such as consistent indentation and use of long variable names.

the state of the s	
Directory: PD: <ada.style< td=""><td>&gt;</td></ada.style<>	>
CHECK.ABS	1712
CHECK.CM2	567
CHECK.CMM	1404
CHECK.DOC	17475
CHECK.PRO	3564
CHECK.SRC	413277
CHECK.TST	117647
CHECKRD.ME	4080
PROF.CMM	1368
	92
PROF.CO	
PROF.DOC	68844
PROF.PRO	3895
PROF.SRC	255248
PROFABS.CO	622
PROFABS.NOT	236
PROFDOC.DIS	64
PROFREAD.ME	2849
<del>-</del>	
STND.CMM	1373
STND.CO	123
STND.DOC	74984
STND.PRO	3752
STND.SRC	282653
STND.TST	125
STNDABS.CO	622
STNDABS.NOT	236
	79
STNDDOC.DIS	
STNDREAD.ME	3918
STYLE.ABS	1714
STYLE.DIS	139
STYLE.ME	4080
STYLE.PRO	3386
STYLE2.PRO	3454
STYLE2.FRO	408164
STYLECMP.DIS	3117
STYLEDOC.DIS_	84
STYLEDOC.SRC	18088
STYLEINS.RPT	4228
STYLESRC DIS	124
STYLESDC SPC	409663
STYLESRC.DIS STYLESRC.SRC STYLETST.DIS	518
31 ILE131.DI3	11/750
STYLETST.SRC	116759
41 Files	2234327

#### Standards Checker

Machine/System Compiled/Run on: ROLM Ada, DG MV10000

#### Abstract:

The style checker will examine an Ada program and try to pick pieces of the program which follow incorrect style conventions. These conventions themselves will be determined by a file of parameters which can be editted to "tailor" the style to local (or contractual) conventions.

The following files are associated with this item:

Directory: PD: <ada.styl< th=""><th>E&gt;</th></ada.styl<>	E>
CHECK.ABS	1712
CHECK.CM2	567
CHECK.CMM	1404
CHECK.DOC	17475
CHECK.PRO	3564
CHECK.SRC	413277
CHECK.TST	117647
CHECKRD.ME	4080
=======================================	
8 Files	559726

#### Statement Profiler

Machine/System Compiled/Run on: AIE Ada, VM-UTS

#### Abstract:

The Statement Profiler counts every instance of each of the various types of Ada statements in the given program unit bodies, including comments, distinguishing whole-line comments from comments on a line of code. From these raw counts, a series of ratios and percentages can then be computed and shown in a table. The raw counts or the profile table is written to the default output file. This information can then be used to determine when program are inadequately commented or overly complex.

The following files are associated with this item:

Directory: PD: <ada.styl< th=""><th>.E&gt;</th></ada.styl<>	.E>
PROF.CMM	1368
PROF.CO	92
PROF.DOC	3895
PROF.SRC	255248
PROFABS.CO	622
PROFABS.NOT	236
PROFDOC.DIS	64
PROFREAD.ME	2849
	S\$2522222
9 Files	333218

Directory: PD:<ADA.COMPONENTS>

ABSTRACT.CMM	2263
ABSTRACT.CO	2657
ABSTRACT.PRO	3334
ABSTRACT.SRC	572620
	=======
4 Files	580874

## Standards Checker 2

Machine/System Compiled/Run on: AIE Ada, VM-UTS

#### Abstract:

The Standard Checke checks a source file to see that it conforms to local programming standards. These standards include maximum number of lines per program unit, maximum number of arguments to a subprogram, use of pragmas, use of rep specs, use of named literals, naming of types and variables, etc. An annotated listing is output showing any misuse of these language constructs.

The following files are associated with this item:

Directory: PD: <ada.styl< th=""><th>.E&gt;</th></ada.styl<>	.E>
STND.CMM	1373
STND.CO	123
STND.DOC	74984
STND.PRO	3752
STND.SRC	282653
STND.TST	125
STNDABS.CO	622
STNDABS.NOT	236
STNDDOC.DIS	79
STNDREAD.ME	3918
=======================================	
10 Files	367865

Directory: PD: <ada.com< th=""><th>IPONENTS&gt;</th></ada.com<>	IPONENTS>
ABSŤRACT.CMM	2263
ABSTRACT.CO	2657
ABSTRACT.PRO	3334
ABSTRACT.SRC	572620
	=========
Files	580874

## Style Checker

Machine/System Compiled/Run on: DG MV 10000, ROLM ADE

#### Abstract:

The style checker will examine an Ada program and try to pick pieces of the program which follow incorrect style conventions. These conventions themselves will be determined by a

file of parameters which can be editted to "tailor" the style to local (or contractual) conventions.

Both physical and logical style features will be checked for including indentation, use of blank space, names, use of reserved words (such as restricting certain features, i.e., gotos), nesting levels, parameter passing, and comments.

The following files are associated with this item:

Directory: PD: <ada.styl< th=""><th>.E&gt;</th></ada.styl<>	.E>
STYĹE.ABS	1714
STYLE.DIS	139
STYLE.ME	4080
STYLE.PRO	3386
STYLECMP.DIS	3117
STYLEDOC.DIS	84
STYLEDOC.SRC	18088
STYLEINS.RPT	4228
STYLESRC.DIS	124
STYLESRC.SRC	409663
STYLETST.DIS	518
STYLETST.SRC	116759
	========
12 Files	561900

## Style Checker 2

Machine/System Compiled/Run on: DEC VAX 11/785, DEC Ada

## Abstract:

The style checker will examine an Ada program and try to pick pieces of the program which follow incorrect style conventions. These conventions themselves will be determined by a file of parameters which can be editted to "tailor" the style to local (or contractual) conventions.

Both physical and logical style features will be checked for including indentation, use of blank space, names, use of reserved words (such as restricting certain features, i.e., gotos), nesting levels, parameter passing, and comments.

The following files are associated with this item:

Directory: PD: <ada.sty< th=""><th>LE&gt;</th></ada.sty<>	LE>
STYLE2.PRO	3454
STYLE2.SRC	408164
32222222222222	========
2 Files	411618

# Virtual\_Terminal

PD:<ADA.VIRTERM>

This subdirector contains tools for a virtual terminal package, which performs screen-oriented functions by reading terminal characteristics from a UNIX-like TERMCAP data base. The application program can call routines in these packages and not be concerned with the type of terminal being addressed.

Directory: PD: <ada.vir7< th=""><th>TERM&gt;</th></ada.vir7<>	TERM>
CURSES.PRO	2903
CURSES.SRC	24734
VT2.CMM	902
VT2.PRO	3728
VT2.SRC	224728
VT2.TST	63335
VT2SPEC.DOC	330874
VT2TEST.DOC	176436
VT2USER.DOC	127918
23222222222	
9 Files	955558

#### Curses Interface

Machine/System Compiled/Run on: VADS VAX/UNIX 4.06

#### Abstract:

This package provides an interface to the UNIX curses package through Ada.

The following files are associated with this item:

Directory: PD: <ada.vir< th=""><th>TERM&gt;</th></ada.vir<>	TERM>
CURSES.PRO	2903
CURSES.SRC	24734
2 Files	27637

## Virtual Terminal 2

Machine/System Compiled/Run on: ROLM ADE, DG MV10000

#### Abstract:

The ANSI virtual terminal is a program level interface providing support for scroll, page and form-mode terminals. This package uses a terminal capabilities database to determine the capabilities of a variety of terminals. This package was designed to enhance the transportability of the source code and interoperability of the terminal capabilities database.

Directory: PD: <ada.virterm></ada.virterm>	
VT2.CMM	902
VT2.PRO	3728
VT2.SRC	224728
VT2.TST	63335

VT2SPEC.DOC	330874
VT2TEST.DOC	176436
VT2USER.DOC	127918
	========
7 Files	927921

# WIS\_ADA\_Tools

## PD:<ADA.WIS-ADA-TOOLS>

This directory contains information about the software tools submitted by the Naval Oceans Systems Center (NOSC). An abstract of the tools is included.

These tools were paid for by WIS (WWMCCS Information Systems).

Directory: PD: <ada.wis-< th=""><th>ADA-TOOLS&gt;</th></ada.wis-<>	ADA-TOOLS>
ABSTRACT.DOC	105309
CONTENTS.DOC	54324
REFFILES.DOC	190757
	========
3 Files	350390